SENATOR Small Parts QUALITY TOOLING Storage Cabinets

Manufactured from heavy gauge steel, painted finish with transparent polypropylene drawers, allows contents to be viewed when the drawer is closed. The lip on the rear of the drawer allows it to be opened fully without falling out. The cabinets can be stacked or mounted to the wall to maximise use of storage space.





Number				Depth (mm)		Order Code SEN-593
SCM008	Cabinet size 8 Drawers @	282 59	306 140	155 140	1.50kg	-5100K
SCS025	Cabinet size 25 Drawers @	238 36.5	306 54	155 140	2.00kg	-5120K
SCM016	Cabinet size 16 Drawers @		306 140	155 140	2.80kg	-5200K
SCS060	Cabinet size 60 Drawers @		306 54	155 140	4.50kg	-5220K
SCC036	Cabinet size 30 Drawers @ 4 Drawers @ 2 Drawers @	59 59	306 54 140 280	155 140 140 140	4.50kg	-5300K
SCC048	Cabinet size 45 Drawers @ 2 Drawers @ 1 Drawers @	551 36.5 59 59	306 54 140 280	155 140 140 140	4.20kg	-5320K

Drawers to Suit

Drawer Size	Height (mm)		Depth (mm)	Order Code SEN-593	
Small	36.5	54	140	-9600K	
Medium	59	140	140	-9620K	
Large	59	280	140	-9640K	

Dividers to Suit

Drawer	Weight	Order Code
Size	each	SEN-593
Small 50 x 29mm Medium/Large 50 x 133mm		-9700K -9720K

KENNEDY Professional Service Case

Suitable for transporting and storing smaller items. Manufactured from hi-density

industrial strength plastic with opaque lid for viewing contents. Slide clasplocking mechanism to prevent opening while in transit/ storage. Lid and base feature two aligning padlock holes to accept padlocks with shackle diameters up to 5.8mm. The lids have three hinges for strength and durability. Eight fixed compartments supplied with dividers to make up to 16 sections.

> Size (mm) **KEN-593** 380 x 60 x 335 -2400K




Service Case Organiser

Robust stacking unit for containing four lockable organiser cases, which lift and slide out. The expandable system allows units to be attached on top or side by side. Cases have translucent lid for selecting contents and multi-positional compartment separators.

service cases. **Dimensions** (L x W x H): 425 x 350 x

375mm. **Maximum load:**

6kg It is recommended that no more than three organisers should be stacked at one time.



Order Code KEN-593 Size (mm) 425 x 350 x 375 -2380K

4 Drawer Parts Cabinet

Manufactured from hi-impact co-polymer polypropylene with opaque

drawers for viewing contents. Three section top compartment with opaque lid and moulded snap clasps to prevent accidental opening. Each internal sliding transparent drawer features three removable dividers and locking mechanism to prevent the drawer opening whilst in transit. Recessed top carry handle and locating lugs allows stacking of multiple cabinets.

Dimensions $(W \times D \times H)$: 390 x 200 x 340mm.



Size (mm)	Order Code KEN-593
390 x 200 x 340	-1760K

593 TOOL POUCHES

KENNEDY

Spanner/Toolholder Holster

Manufactured from natural split leather. Two spanner, tan leather. Reinforced joints Belt not included.



Weight each (mm)

KEN-593 170 x 110 -3710K 90g

Plier/Wrench Holster

Manufactured from natural split leather.

90mm tapered pouch with a 40 x 25mm opening. Fully riveted construction. Two slots for belt attachment. Belt not included.



Weight (mm) each 85 x 90 100g

Order Code KEN-593 -3800K

Trimming Knife Holster

Manufactured from natural split leather. 100mm tapered pocket with a 40 x 20mm opening. Fully riveted construction. Two slits for belt attachment.





		-
Size (mm)	Weight each	Order Code KEN-593
80 x 190	80g	-3750K

Plier/Wrench Holster

Leather made with a 100 x 45 x 30mm pocket fully stitched and riveted at corners - double riveted at base. Two slots for beltattachment. Belt not included.



Weight each **KEN-593** 75 x 230 -3740K

Carpenter's Full Bib Apron

100% cotton drill, with cotton neck loop and ties. Two single stitched pockets.



Weight Size Order Code each 850 x 620 200g -4010K

Mobile Phone Cases - Polyester

Heavy duty polyester with stitched webbing trim. Front flap opening secured with velcro with optional webbing belt loop or stainless steel double capped riveted clip.



Weight Order Code Size **KEN-593** $5" \times 2^{1/2}" \times 1"$ 0.45g -5010K

Professional Drill Holster

Manufactured from natural split leather, fitted with two additional tool loops and an adjustable drill safety strap, four slits for belt attachment, riveted construction Tan leather with

chuck key holder, adjustable retaining strap and one tool loop. Belt not included.




Weight (mm) each **KEN-593** 300 x 200 -3160K

Hammer Holster

With pivoting metal hammer loop, riveted onto natural split leather, with two slits for belt attachment. Belt not included.





Order Code KEN-593 -3100K

Hammer & Tool Holster

Manufactured from natural split leather with four medium and one large leather tool loops. Riveted metal tool clip with metal T-bar and chain. Six slits for attaching to belt. Fully riveted construction. Belt not included.





Weight KEN-593 (mm) each 240 x 75 150g -3140K



Heavy duty polyester allows exceptional resistance to punctures or tears. Heavily stitched webbing belt complete with heavy duty double capped riveted clasp for added strength and support.







Size	Weight each	Order Code KEN-593
20 ³ / ₄ " x 11 ¹ / ₂ " x 1 ¹ / ₄ "	0.31kg	-3540K

Nail Bag - Polyester

Heavy duty polyester allows exceptional resistance to punctures or tears. Heavily stitched webbing on belt loop and edges, and double capped riveted for added strength and support.



Size	Type	Weight each	Order Code KEN-593	
143/4" x 111/4" x 7/9"	Single	O 2kg	-3530K	

Nail Pouches - Leather

Leather, one pocket and one loop. Stitched bottom seam. Belt not supplied.



Size	Weight	
(mm)	each	
300 x 250	150g	

KEN-593 -3550K

Leather, two pockets, one loop, deep pocket. Double stitched seams with riveted corners for extra strength.







Size	Weight	Order Code
(mm)	each	KEN-593
360 x 250	370g	-3340K

Nail Pouch - Leather

Leather, two pockets and one loop. Double stitched seams with riveted corners for extra strength. Webbed nylon belt.







Size	Weight	Order Code	
(mm)	each	KEN-593	
370 x 220	290g	-3240K	

Leather Belts - Heavy Duty

Heavy duty natural split leather with heavy buckle and retaining loop.



Size	Weight	Order Code
(mm)	each	KEN-593
1170 x 50	260g	-3000K
1170 x 40	210g	-3020K

Leather Belt - Heavy Duty

Heavy duty oil tan belt with brass buckle and rivets for use with Kennedy tool pouches. Size Weight

KEN-593 -3080K

Polyester & Nylon Belts

Adjustable webbing. Riveted for added strength and support.



Type	Size (mm)	Order Code KEN-593
Brown	1170 x 50	-3040K
Black	1200 x 50	-3060K

(mm)

1170 x 50

Page **515**

ENNEDY Combination

Manufactured from leather with a fully riveted double stitched construction. Chrome leather, five pockets and one loop. Belt not included.







moradou		
Size	Weight	Order Code
(mm)	each	KEN-593
210 x 250	340ø	-3450K

Leather made with five pockets and one loop. Belt not included.







h	A.		
Tools Not Included	The state of the s		
Size	Weight	Order Code	

(mm)	each	KEN-593
250 x 280	360g	-3460K

Leather made with five pockets, two loops, webbing belt and tape holder.





Size	Weight
(mm)	each
220 x 210	300g





Order Code KEN-593 -3470K

Combination Pouches

Leather made with one pocket, two loops and nail pouch. Belt not included.





Tools Not Included

Size Weight each (mm) 280 x 270 310g

Order Code **KEN-593** -3600K

Leather made with ten pockets, two loops, webbing belt and tape holder.







Size (mm) 550 x 220

Weight each Order Code KEN-593 -3500K 330g

Leather made with 8 deep pockets, two nail pouches, two loops, webbing belt and tape holder.







Weight each 550 x 220



Order Code **KEN-593** -3510K

Size

(mm)

KENNEDY Tool

Manufactured from leather. Fully riveted double stitched construction. Chrome leather, two pockets and five loops. Belt not included.





-3640K

Electrician's Tool Pouch

each

300g

(mm

290 x 200

Manufactured from natural split leather, four pockets, seven tool loops, T-bar and chain, spring clip, tape pocket. Fully riveted construction. Belt not included.



(mm)	weight each	KEN-593
200 x 260	410g	-3770K

Double Nail Bag & Combination Tool Pouch

Heavy duty nylon allows exceptional resistance to punctures or tears. Heavily stitched webbing on belt loop and edges, and double capped riveted for added strength and support. 600 denier durable fabric. Double stitched pockets with rivet reinforcement. Six small pockets for pliers, pencils, screwdrivers etc. Two heavy duty steel hammer holders and tape holder



KEN-593 270 x 200 x 50 (x2) 130 x 120 x 80 (x2 -3400K 140 x 100 x 50 (x1)

Double Tool Pouch

10 Pocket 2 Loop Double Tool Pouch - Oil Tan Manufactured from butt split leather. Fully riveted construction. 10 pockets with t-bar chain and spring

clips. Belt supplied separately.



Tools Not Included

Size	Weight	Order Code
(mm)	each	KEN-593
280 x 300		-3260K

Tool Pouch - Large

4 Pocket 2 Loop Tool Pouch - Oil Tan

Large tool pouch with four pockets and two tool loops. Fully brass riveted construction. Manufactured from oil tanned leather.





Weight Size each (mm) 300 x 230

Nail & Tool Pouch - Large

3 Pocket 2 Loop Nail & Tool Pouch - Oil Tan

Large nail and tool pouch with three pockets and two tool loops. Fully brass riveted construction. Manufactured from oil tanned leather.





Size	Weight	Order Code
(mm)	each	KEN-593
300 x 230		-3280K

NNEDY PVC Coated Fibre Board INDUSTRIAL TOOLING TOOL Case

Waterproof, puncture resistant and rot proof PVC outer encasing rigid fibre board. Grained finish with 36 elasticated tool loops. Full zip around fastener. Black finish.



Tools Not Included

Size	Weight	Order Code
(mm)	each	KEN-593
315 x 30	350g	-0310K

PVC Multi Tool Rolls

Waterproof, puncture resistant and rot proof PVC outer with heavy duty nylon weave providing a high strength, abrasion resistant inner lining. With flat tool pockets, webbed ties. Tools secured with flap cover.



U	U	L	5	П	A	U	τ
n	C	ı		Ы	_	Ы	П
•	U	ı	u	u	C	u	

Size	Weight	Order Code	
(mm)	each	KEN-593	
390 x 330	190g	-0370K	

PVC Double Coated Nylon Multi Tool Roll

Puncture resistant and rot proof PVC outer encasing heavy duty nylon weave. 100% waterproof, easy to clean. With 12 flat, and two pleated pockets, one large end pouch divided into two with a press stud containing flap

Tools secured with flap cover. Leather tie with metal buckle.



Size (mm)	Weight each	Order Code KEN-593	
700 x 315	340g	-0520K	

Tools Not Included

Multi Tool Roll

With 13 flat pockets, single leather wrap around tie with metal buckle fastening. Tools secured with flap cover.





Size	Weight	Order Code
(mm)	each	KEN-593
430 x 270	190g	-0430K

Tools Not Included

Chisel Tool Roll

Manufactured from PVC coated cotton with eight flat pockets, single leather wrap around tie with metal buckle fastening. Tools secured with flap cover.





Tools Not Included -0480K

Tear Resistant Tool Roll

Manufactured from heavy duty tear resistant material with re-enforced stitched edging. Two metal rings for hanging on to a wall when opened. 20 pockets, 18 elasticated tool loops are stiched on the inside. A velcro fastening secures the roll

when shut.







Size Weight **KEN-593** (mm) 600 x 540 -0500K

PVC Coated Rayon Tool Rolls

Waterproof, puncture resistant and rot proof PVC outer with soft non-scratch rayon inner to protect tools.

Multi - With 14 pockets. Tools secured by flap cover with two webbed ties.



IIICIUUCU			
Size (mm)	Weight each	Order Code KEN-593	
650 x 270	270g	-0870K	

Multi - With 12 pockets and two pouches. Tools secured by flap cover with two webbed ties.



PVC Coated Cotton Multi Tool Rolls

Waterproof, puncture resistant and rot-proof PVC outer with medium duty, non-scratch cotton inner. With 15 pleated pockets, two webbed ties. Tools secured with flap cover.



Size	Weight	Order Code
(mm)	each	KEN-593
660 x 320	390g	-0440K

Bench Stone Holder

120g

To suit stone size 200 x 50 x 25mm.



-7020K

SENATOR Canvas QUALITY TOOLING Holdall

Manufactured from heavy duty water resistant canvas. Handles wrap underneath the bag for added strength, fitted with a



Overall	Weight	Order Code
Length	each	SEN-593
460 (18")	250g	-0560K
610 (24")	335g	-0580K
760 (30")	360g	-0600K

KENNEDY PVC QUALITY INDUSTRIAL TOOLING TOOL Bag

PVC holdall riveted leather handle and straps with metal buckles, fibre board base and top. The PVC makes the tool bag punctureresistant, waterproof



-0100K

KENNEDY Medium Weight | Jumbo Tool Bag

Reinforced board base with four riveted plastic feet. Plastic zip fastening, webbing covered rope handles.



Overall Length	Weight each	Order Code KEN-593	
455mm	390g	-0110K	
610mm	500g	-0120K	

Heavy Duty PVC Nylon Coated Canvas Holdalls

Reinforced fibre board base with four riveted metal feet and zip fastening. Webbing covered rope handles and welded D rings at either end.



Overall Length	Weight each	Order Code KEN-593
455mm 610mm	670g 810g	-0180K -0240K
760mm	590g	-0300K

Heavy duty double thickness canvas. Five internal pockets and a fibre board base with six riveted metal feet. Webbing handles and straps with plastic buckles.





Overall Length	Weight each	Order Code KEN-593
610mm	1.50kg	-0060K

Canvas Holdall

Heavy duty water resistant. Canvas covered rope handles, fully stitched, wrap underneath bag for extra support. Three webbed straps with metal buckles for closing, two of which fully wrap around the bag to give extra support.



Overall Length	Weight each	Order Code KEN-593	
760	810g	-0080K	

Barn Type Holdalls

230g

310


Manufactured from butt split leather with wrap around leather handles. Leather fastening straps with metal buckles. Fully riveted construction. Reinforced on corners.

Holdall with Shoulder Strap

Manufactured from Butt split leather with wrap around leather handles. Three leather fastening straps with metal buckles and an adjustable shoulder strap. Fully riveted construction.



Manufactured from heavy duty tear-resistant material with reinforced stitched edging. Velcro fastening flap with soft touch carry handle and double webbed shoulder strap







Size	Weight	Order Code	
_(L x D x H mm)	each	KEN-593	
320 x 340 x 125		-0560K	

KENNEDY Heavy Duty PROFESSIONAL Tool Bag

600 denier durable fabric. Adjustable shoulder strap. 11 internal pockets. 17 external pockets. Large internal compartment. Padded handles and strap. Heavy duty zip.





Size	Weight	Order Code	
(mm)	each	KEN-593	
460		-0940K	

Heavy Duty Tool Bag

600 denier durable fabric. Adjustable shoulder strap. 13 external pockets. One large internal compartment. Main compartment can be divided into five pockets using removable divider. Heavy duty waterresistant base for extra strength. Padded handles and strap. Business-card holder and key strap. Heavy duty zip.



Size (mm)	Weight each	KEN-593	
330		-0980K	

KENNEDY Traditional Style QUALITY INDUSTRIAL TOOLING CARPENTER'S Bag

Heavy duty hard wearing canvas, double stitched edging with eight brass eyelets for rope to pass through for closing. Canvas covered rope handles wrap underneath bag, fully stitched and riveted at opening for extra support.

One internal pocket (200 x 130mm).

Size	Weight	Order Code
(mm)	each	KEN-593
840	680g	-0030K
1065	790g	-0040K



KENNEDY Professional QUALITY INDUSTRIAL TOOLING Service Case

Hard wearing cordura with nylon reinforced webbing handles. Two tool boards and unique repositionable tool retaining system, ceramic sheath for hot soldering irons and three press stud pockets. Zippable.





-2850K

KENNEDY. Heavy Duty PROFESSIONAL Tool Caddy

450 x 330 x 80

600 denier durable fabric. Adjustable shoulder strap. Locking telescopic handle. 26 internal pockets. 12 external pockets. Large internal compartment. Padded handles and strap.

2.10kg



Size	Weight	Order Code	
(mm)	each	KEN-593	
460		-0960K	

KENNEDY Lightweight QUALITY INDUSTRIAL TOOLING Bag & Case

Manufactured in heavy duty wear-resistant nylon which is water-resistant and ideal for use in low temperatures fitted with two outer pockets with velcro fastening. The corners have rubber protection for extra durability, fitted with four rubber feet, outer carry handles, telescopic handle and wheels with a padlockable zip fastening. Inside there is a removable toolboard with one velcro fastening pocket and 11 tool pockets, one hinged toolboard with 12 elasticated tool loops and 13 tool pockets and a plastic storage compartment with adjustable dividers.





SENATOR Service Engineer's QUALITY TOOLING Aluminium Tool Case

Heavy duty case for tool storage, ideal for the mobile serviceengineer. Prices the storage of many tools with the professional look of a briefcase. Silver aluminium with reinforced edges and corners. Internal base compartment is fitted with adjustable dividers to offer choice of sizes. Removable rigid tool board stored in the lid with 17 pockets of various sizes. Supplied with fixed

handle and two security locks and keys.



Executive Engineer's Aluminium Tool Case

Large, lightweight case for tool storage, ideal for the mobile engineer. Prices the storage and portability of a large amount of tooling with the professional look of a briefcase. Black aluminium case with silver reinforced edges and corners. Internal base compartment is fitted with adjustable dividers to offer choice of sizes. Removable rigid tool board stored in the lid with 17 pockets of various sizes. 1" wide, length adjustable lightweight nylon shoulder strap with rubber shoulder protector for added comfort. Supplied with fixed handle and two security locks



5.70kg


Cantilever Aluminium Tool Case

Heavy duty case for tool storage, ideal for the mobile technician. Prices the storage and portability of many tools with the professional look of a briefcase. Silver aluminium with reinforced edges and corners. Concealed cantilever mechanism. Large base compartment with four cantilever trays to make all contents instantly available. Compartment dividers are adjustable to offer choice of sizes. 1" wide, length adjustable lightweight nylon shoulder strap, with rubber shoulder protector for added comfort. Supplied with fixed handle and two security locks and keys.





Weight each Size 360 x 220 x 245 -4600K 3.10kg



KENNEDY Aluminium QUALITY INDUSTRIAL TOOLING Reinforced Case

Impact resistant case. Two removable tool boards with elasticated tool retaining loops, one with document pocket, divided storage compartment. Double locking with two keys.



Impact Resistant Service Case

2.85kg

445 x 340 x 190

(mm)

430 x 340 x 160

2.95kg

Ribbed high strength plastic case with aluminium reinforced trim. Two fitted and hinged tool boards with elasticated tool retaining loops. Lockable with two keys. Padded carry handle.

-2550K



-2450K

Heavy Duty Aluminium Case

High strength, impact resistant case. Reinforced edges and hinges. Rubber padded handle for comfort. Two fitted and hinged tool boards with elasticated tool retaining loops, two expandable document pockets and divided storage compartment. Double locking with two keys.





Impact Resistant Plastic Case

High strength ribbed double wall constructed case. Two fitted hinged tool boards with elasticated tool retaining loops, four repositionable dividers in the bottom compartment, expandable document pocket in the lid and two removable small parts trays. Double locking with two keys.



KENNEDY Heavy Duty **Aluminium Tool Case**

Manufactured from composite aluminium and rubber resin which is normally used in the automotive industry. Chromed steel hinges with lid support mechanism, two chromed steel locks with keys, a heavy duty plastic handle and four rubber feet. Inside are two secured hinged tool boards, each with 31 elasticated tool loops, an expandable document compartment, two small organisers and a customisable storage compartment with repositional dividers.





High Impact Resistant Tool Case

Manufactured from composite aluminium and rubber resin which is normally used in the automotive industry. Chromed steel hinges with lid support mechanism, two chromed steel locks with keys, a heavy duty plastic



handle and four rubber feet. Inside are two secured hinged tool boards, each with 31 elasticated tool loops, an expandable document compartment, two small organisers and a customisable storage compartment with

repositional dividers.



-2780K

Service Engineer's Case

Service case with wheels. Case manufactured from high impact double walled polyethylene shell, corrosion-resistant and aluminium reinforced. Full length heavy duty piano hinges and trim. Two expandable document pockets, two hinged and fitted tool boards with elasticated tool retaining loops.

Shockproof vacuum formed polystyrene bottom storage tray with fixed compartments supplied complete with four small component boxes.

The two 38mm wide rubber wheels and retractable telescopic aluminium handle allows the case to be moved when fully loaded with the minimum of effort. Double locking with two keys.

Strong enough to be used to transport tools when travelling by aircraft.



Tools Not Included			
Size (mm)	Weight each	Order Code KEN-593	
485 x 370 x 190	5.70kg	-2700K	



Page **524**

470 x 390 x 347

KENNEDY Tool Box with Tote Undustrial Tooling Tray & Organiser

Manufactured from impact resistant high-density plastic. Internal eight compartment tote tray with retractable carry handle and stacking 16-compartment organiser. Features transparent organiser

lid with internal locking clasps, moulded metric rule on the lid, lid locking clasps and sturdy plastic handle that also locks lid shut when lifting. Padlock hole and piano hinges. Dimensions $(W \times D \times H)$: 480 x 240 x 260mm.



Tool Box with Tote Tray & Organiser

Description

Order Code Size (mm) **KEN-593**

480 x 240 x 260 -2320K

Tool Container with Drawer

Manufactured from impact-resistant polypropylene co-polymer. Internal sliding transparent drawer features removable dividers and locking mechanism to prevent the drawer opening whilst in transit. Internal removable tool pots and pivoting carry handle.



Description	Size (mm)	Order Code KEN-593
Tool Container with Drawer	450 x 320 x 215	-1080K

Power Tool Case

Sturdy plastic case, suitable for a variety of tools, such as angle grinders, honing machines, drills, planes, sanders, etc.



Description Size (mm) **KEN-593** Power 420 x 260 x 160 -1020K Tool Case

4 Drawer Tool Chest

Manufactured from hi-impact co-polymer polypropylene. Features four sliding drawers enclosed with a slide clasp front panel to prevent opening whilst intransit.

Top carry handle with soft touch grip zone and large locking clasps. Metric graduated V-groove in the lid securely holds work piece while being cut. Front cover panel and lid have aligning padlock hole for optional added security. Dimensions (W x D x H): 450 x 250 x 325mm.



Tools Not Included

Description 4 Drawer Tool Chest Size (mm)

Order Code **KEN-593**

450 x 250 x 325 -1500K

Tool Box with Tote Tray



Order Code Description Size (mm) **KEN-593** Tool Box -2300K 445 x 240 x 220 with Tote Tray

Industrial Power Tool Tidy

Metal case manufactured from thick gauge steel with double folded seams. Designed for storing and transporting portable

power tools and other items that require an industrial case for protection.

Width	Depth	Height	Weight	Order Code
(mm)	(mm)	(mm)	each	KEN-593
270	115	400	1.40kg	-1000K

KENNEDY Mobile QUALITY INDUSTRIAL TOOLING TOOL Cabinet

Manufactured from hi-impact co-polymer polypropylene. Large tilt opening parts bin. Sliding drawers with locking mechanism to prevent the drawer opening whilst in transit. Top carry handle with soft touch grip zone and large locking clasps. Internal four compartment tote tray. Top box and parts bin both feature aligning holes to suit padlocks with shackle diameters of up to 7.4mm. Metric graduated





Description	Size (mm)	Order Code KEN-593
bile Tool Cabinet	490 x 380 x 720	-1800K

Tool Box with Tote & Wheels

Manufactured from impact resistant high-density plastic. Recessed rigid handle for tilting box onto wheels for easy transportation. Large clasps to lock lid when in transit/

storage and padlock hole for added security. Recessed carrying handle allows stacking. Lid features three opaque internal removable trays with removable dividers for

features opaque lids on the two end compartments with moulded snap clasps to prevent accidental opening. **Dimensions** $(W \times D \times H)$:

Five-compartment tote tray also

small parts storage.



Size	Weight	Order Code	
(mm)	Capacity	KEN-593	
645 x 280 x 300	3 - 30kg	-2340K	

Mobile Tool Box

Sturdy mobile tool box with a large lower storage area for power tools, etc. The tool box has two nested tote trays for smaller tools. The lockable lid has two storage compartments for fixings.

The integral handle slides out for ease



Description	(mm)	KEN-593
Mobile Tool Box	550 x 350 x 475	-2000K

Multi Utility Storage Box

A lightweight high capacity injection moulded polypropylene box for tough, heavy duty use. Ideal for indoor or outdoor use where high loading capacity is needed such as on construction sites, premises maintenance, transport, nautical equipment. Water resistant design and integral lifting grips on both sides. The lid features a full length steel pin hinge with 'positive pressure' cam style clasping mechanism that seals the case to create a water resistant closure. Also features integral trolley suitcase style wheels and a pull-out handle, a robust fold flat carry handle and a slide out clear ID/nameplate holder. Shock resistant and corrosion proof. Can be used in high or low temperature environments. With moulded padlocking hasp and stacking locators.



KENNEDY 17" Industrial QUALITY INDUSTRIAL TOOLING Cantilever Tool Box

Manufactured from industrial quality steel with all welded construction. Durable corrosion-resistant two part epoxy





Overall Length	Overall Width	Overall Depth	Weight each	Order Code KEN-593	
430mm 560mm		205mm 205mm	5.30kg 6.10kg	-1170K -1210K	

Barn Type Tool Boxes

Manufactured from heavy gauge steel of rigid construction for continuous industrial use. Large base compartment for larger items and removable tote tray for smaller and most used items.

Hard wearing cellulose paint finish. Two piece lid doors that overlap with padlock hole for added security. Full width piano hinges provide rigidity and strength. Supplied with fixed carry handle on the lid.



Overall	Overall	Overall	Weight	Order Code
Length	Width	Depth	each	KEN-593
355mm	205mm	185mm	3.00kg	-2140K
480mm	205mm	185mm	4.40kg	-2190K
610mm	205mm	185mm	5.10kg	-2240K

SENATOR. Tool

17" & 21" Cantilever Tool Boxes

Steel construction with two piece cantilever lids with padlock hole for additional security. Large base compartment with four easy access cantilever trays for additional storage. The full width carry handle automatically closes the trays when lifting.

14" Barn Type Tool Box Steel construction with base compartment for larger items

and removeable upper tray for smaller most used items.




Size (L x W x D)	Order Code	
(mm)	SEN-593	
14" Barn Type	-1540K	
17" 4 Tray	-1370K	
21" 4 Tray	-1410K	

KENNEDY. Heavy Duty PROFESSIONAL Tool Boxes

Manufactured from heavy gauge steel, all welded construction. Durable and corrosion resistant two part epoxy powder paint finish. With quick release lid clasps, padlock hasps and textured carry handles. Full width piano hinges provide rigidity and strength, ensuring smooth operation and additional security.

Top Opening Type

Manufactured from heavy gauge steel with all welded construction. Durable corrosion resistant two part epoxy powder coat finish. Quick release lid clasps and removable tote tray for smaller tools and components. Can be padlocked for additional security (padlock not included). Supplied with fixed carry handle on the lid.



Width Depth Height Weight Order Code (mm) (mm) (mm) each KEN-594			
483 180 180 3.65kg -0040K 508 218 243 6.35kg -0060K			

18" Professional Cantilever

Manufactured from heavy gauge steel with all welded construction for continuous industrial use. Durable corrosion resistant two part epoxy powder coat finish. Fully enclosed cantilever mechanism for added security. Quick release lid clasps with padlock hole for security. Two piece cantilever lids that can be padlocked for additional security (padlock not included). Full width piano hinges provide rigidity and strength. Large base compartment (450 x 260 x 170mm) with four cantilever trays for additional storage. The cantilever action of the top trays makes tray contents instantly available. Supplied with fixed carry handle on the lid.



-1540K

Page **527**

KENNEDY Portable PROFESSIONAL Tool Chest

Manufactured from heavy gauge steel with all welded construction. Durable and corrosion resistant two part epoxy powder paint finish. With quick release lid clasps, padlock hasps and textured carry handles. Full width piano hinges provide rigidity and strength, ensuring smooth operation and additional security.

Three full-length drawers with rigid aluminium edged handles. Fully Lockable unit with a handle on the top and a carry handle on each end. The lid automatically locks all of the closed drawers when lowered

to prevent opening.

Height: 340mm, Depth: 215mm, Width: 520mm

Drawer sizes: 2@ 460 x 180 x 55mm. 1@ 460 x 180 x 75mm.



Heavy Duty Tool Boxes

Manufactured from heavy gauge steel, all welded construction. Durable and corrosion resistant two part epoxy powder paint finish. With quick release lid clasps, padlock hasps and textured carry handles. Full width piano hinges provide rigidity and strength, ensuring smooth operation and additional security.

Portable Tool Chest

Two full-length drawers with rigid aluminium lipped handles. Automatically locks the drawers when the lid is closed, to prevent accidental opening.



YAMOTO 4 Drawer Service Cart

Industrial all steel construction with a Hi-Vis yellow and grey spray paint finish. Full width piano hinge. Chrome oval

E Sala

handle for comfort. Double extending ball bearing drawer runners for full drawer depth opening and smooth operation. 4x 4" solid rubber castors with 360 degree rotation. Two rear castors feature lever locking mechanism to reduce unwanted movement. Large open base bay. Lid stays to hold the lid in a vertical position when in use. Protective drawer liners prevent scratching and reduce tool noise. Double locking system: Drawer lever locking mechanism within top tool bay. Key locking drop down lid for the top tool bay.Supplied flat packed for on-site assembly.

Overall dimensions (W x H x D): 770 x 960 x 520mm.

2 drawers (W x H x D Internal): 300 x 70 x 440mm.

2 drawers (W x H x D Internal):

Maximum capacities:
Drawers:
40kg/drawer. Overall: 280kg.
Top tool bay:
675mm x450mm
storage.
2x 35mm x 470mm
tool storage.



640 x 70 x 440mm.

Ball Bearing Drawer Runners



Internal Tool Rack

Order Code YMT-594	Weight each	Height (mm)	Depth (mm)	Width (mm)
-2040K	53.0kg	960	500	855
Ordor Codo				

Description	Order Code YMT-567
Replacement 90° Lock Set	-6800K
Ball Bearing Drawer Sliders (Pair)	-7100K

SENATOR. 3 Tray QUALITY TOOLING Tool Trolley

Bolted steel construction. 100mm industrial castors. Brakes fitted to two end castors. Hard wearing powder coated finish.





737mm 383mm 663mm 3.70kg -4030K	Length	Width	Depth	each	SEN-594
	737mm	383mm	663mm	3.70kg	-4030K

SENATOR Roller QUALITY TOOLING Cabinet

Double thickness side walls with welded joints and a hard wearing epoxy powder coating. I-Beam draw slides with double sliders on base drawer. 100mm rubber castors with brakes fitted to two end castors. Fully locking. Castors are rated to 40kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent relocation when loaded and when moved should only ever be pushed.

7 Drawer **Drawer sizes:**

4 @ 590 x 410 x 50mm. 2 @ 590 x 410 x 100mm. 1 @ 590 x 410 x 200mm.

Uses 16" drawer slides.

For Spares see Page 536

Spares Order Code SPR-567-7210K Lock Key Blank SPR-567-7320K Draw Slide SPR-567-7050K Castors SPR-567-6900K SPR-567-7560K Top Mat SPR-567-6610K Draw Liner



Width Depth Height Weight Order Code Colour each (mm) (mm) (mm) SEN-594 Red -0580K 670 460 885 51kg

For the cost conscious, DIY and light industrial use.

3 Drawer Piano hinged lid. Carry handle. Cantilever top tray. Fully locking.

Drawer sizes:

3@ 450 x 190 x 55mm.

Uses 10" drawer slides.

Type A lid stays.

Spares Order Code SPR-567-7200K SPR-567-7300K Key Blank Draw Slide SPR-567-7020K Draw Liner SPR-567-6610K

For Prices see Page 536

Colour	Width (mm)				Order Code SEN-594
Red	520	218	304	20kg	-0200K

6 Drawer

Piano hinge. Carry handles. Tote tray. Fully locking. Two wall construction side panels. Beam draw slides.

Drawer sizes:

Spares

Key Blank Draw Slide


Lid Stay

Draw Liner

Lock

2@ 50 x 125 x 280mm. 1@ 50 x 280 x 280mm. 2@ 50 x 590 x 280mm. 1@ 100 x 590 x 280mm. Uses 10" drawer slides. Type A lid stays.





Roller Cabinet

Hard wearing epoxy coated steel fabricated construction. Fully locking. I-Beam draw slides with double sliders on base drawer. 100mm rubber castors with brakes fitted to two end castors. Castors are rated to 40kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent relocation when loaded

Drawer sizes (W x D X H): 3 @ 511 x 403 x 75mm.

Compartment (W x D x H):



Colour	Width (mm)				Order Code SEN-594
Red	680	435	660	26kg	-1030K

For Prices see Page 536

Drawer sizes (W x D x H):

(mm)

435

(mm)

680

Red



each

(mm)

660

SEN-594

-1050K

SENATOR. 6 Drawer Tool Chest & QUALITY TOOLING 7 Drawer Roller Cabinet

6 Drawer Tool Chest

Body made from 0.8mm steel panels with 0.6mm drawers. Epoxy powder_coated finish in blue/grey with chrome finished PVC drawer pulls. The fully locking fold down lid encloses the six drawers which have foam liners and quick release smooth running 250mm ball bearing drawer slides. Supplied with a loose tote tray for carrying tools to work area. Strong chrome carrying handles. Drawer loads should be evenly distributed.

Overall Dimensions (W x D x H): $668 \times 315 \times 389 \text{mm}$.

Top Compartment (W x D x H): 660 x 305 x 50mm.

Tote Tray (W x D x H): 430 x 170 x 45mm.

Drawer Sizes (W x D x H):

1@ 590 x 279 x 101.5mm, 2@ 590 x 279 x 49mm. 1@ 281 x 279 x 49mm, 2@ 127 x 279 x 49mm.

7 Drawer Roller Cabinet

Body made from 1mm steel panels with 0.8mm drawers. Epoxy powder coated finish in blue/grey with chrome finished PVC drawer pulls. Fully opening drawers for extra accessibility. Quick release smooth running 350mm ball bearing drawer slides. Supplied with rubber top mat and foam drawer liners. Fully locking. $100 \times 25 \text{mm}$ hard wearing heavy duty castors, fitted with two brakes. Strong 450mm wide handle. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent re-location when loaded and should only ever be pushed.

Overall Dimensions (W x D x H):

689 - 760 with handle x 459 x 780mm - 915 with castors.



Description Colour 6 Drawer Tool Chest



Blue/Grev



-5240K

YAMOTO 6 Drawer Tool Chest & 7 Drawer Roller Cabinet

6 Drawer Tool Chest

Body made from 0.8mm steel panels with 0.6mm drawers. I Epoxy powder coated finish in yellow/grey with aluminium drawer pulls. The fully locking fold down lid encloses the six drawers which have foam liners and quick release smooth running 250mm ball bearing drawer slides. Supplied with a loose tote tray for carrying tools to work area. Strong chrome carrying handles. Drawer loads should be evenly distributed.

Overall Dimensions (W x D x H): 668 x 315 x 389mm.

Top Compartment (W x D x H): 660 x 305 x 50mm.

Tote Tray (W x D x H): 430 x 170 x 45mm.

Drawer Sizes (W x D x H):

1@ 590 x 279 x 101.5mm, 2@ 590 x 279 x 49mm. 1@ 281 x 279 x 49mm, 2@ 127 x 279 x 49mm.

7 Drawer Roller Cabinet

Body made from 1mm steel panels with 0.8mm drawers. Epoxy powder coated finish in yellow/grey with aluminium drawer pulls. Fully opening drawers for extra accessibility. Quick release smooth running 350mm ball bearing drawer slides. Supplied with rubber top mat and foam drawer liners. Fully locking. 100 x 25mm hard wearing heavy duty castors, fitted with two brakes. Strong 450mm wide handle. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent re-location when loaded and should only ever be pushed.

Overall Dimensions (W x D x H):

689 - 760 with handle x 459 x 780mm - 915 with castors.









Description 6 Drawer Tool Chest 7 Drawer Tool Cabinet

Yellow/Grev

Order Code YMT-594 -5240K

7 Drawer Tool Cabinet

YAMOTO Roller

Steel panels with double wall construction side panels and welded joints for added rigidity. Hard wearing epoxy powder coating. Solid one piece I-beam drawer slides with double sliders on base drawer. Supplied with top mat and drawer liners. Fully locking. 100mm rubber castors, fitted with two brakes. Overall dimensions: 850 x 690 x 460mm. Castors are rated to 40kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent re-location when loaded, and when moved should only ever be pushed.

3 Drawer **Bottom compartment** (W x D x H): 610 x 430 x 355mm.

Drawer sizes (W x D x H): 3 @ 590 x 410 x 100mm.

Uses 16" drawer slides.

Spares Order Code SPR-567-7210K SPR-567-7320K Key Blank Draw Slide SPR-567-7050K Castors SPR-567-6900K SPR-567-7560K Draw Liner SPR-567-6610K



Colour	Width (mm)	Depth (mm)			Order Code YMT-594
Red	690	460	850	43kg	-0500K

5 Drawer Internal drawer dimensions $(W \times D \times H)$:

4 @ 590 x 410 x 100mm. 1 @ 590 x 410 x 200mm.

Uses 16" drawer slides.





For Prices	see Page 536
Draw Liner	SPR-567-6610K
Top Mat	SPR-567-7560K
Castors	SPR-567-6900K
Draw Slide	SPR-567-7050K

Colour	Width (mm)				Order Code YMT-594
Red	690	460	850	46.5kg	-0540K

7 Drawer

Internal drawer dimensions $(W \times D \times H)$:

4 @ 590 x 410 x 50mm. 2 @ 590 x 410 x 100mm. 1 @ 590 x 410 x 200mm.



Colour	Width (mm)				Order Code YMT-594
Red	690	460	850	52.5kg	-0580K

Tool Chests

Supplied with tote tray. Piano hinge and lid stays.

ROLLER CABINETS & TOOL CHESTS

3 Drawer

Drawer sizes (W x D x H):

1 @ 590 x 285 x 50mm. 2 @ 590 x 285x 100mm.

Top compartment size:

660 x 150 x 90mm.

Uses 10" Drawer slides. Type A lid stays.

Spares

Key Blank

Draw Slide

Draw Liner

Lid Stavs



Colour					Order Code YMT-594	
Red	670	315	385	27kg	-0200K	

6 Drawer

Carry handles. All steel construction. Supplied with drawer liners.

Drawer sizes (W x D x H):

2 @ 130 x 285 x 50mm. 1 @ 280 x 285 x 50mm.

2 @ 590 x 285 x 50mm.

1 @ 590 x 285 x 100mm.

Top compartment size (W x D x H): 660 x 150 x 90mm.

Uses 10" drawer slides.

Type A lid stays.

Order Code SPR-567-7240K **Spares** Lock Key Blank SPR-567-7320K Draw Slide SPR-567-7020K Lid Stavs SPR-567-6950K

For Prices see Page 536

Colour	Width (mm)				Order Code YMT-594
Red	670	315	385	27kg	-0240K

SPR-567-6610K

12 Drawer

Draw Liner

Double thickness side walls.

One piece drawer slides. Epoxy powder coated finish.

Drawer sizes (W x D x H): 8 @ 130 x 410 x 50mm. 1 @ 280 x 410 x 100mm.

2 @ 590 x 410 x 50mm. 1 @ 590 x 410 x 100mm.

Top compartment size (W x D x H): 660 x 150 x 90mm.

Uses 10" drawer slides. Type A lid stays.

Draw Liner

Spares **Order Code** Key Blank SPR-567-7320K Draw Slide SPR-567-7020K Lid Stays SPR-567-6950K

For Prices see Page 536

Colour	Width (mm)		Height (mm)	Weight each	Order Code YMT-594
Red	670	445	490	47kg	-0280K

594 ROLLER CABINETS & TOOL CHESTS

KENNEDY *Step-up* PROFESSIONAL *Units*

2 Drawer

Manufactured from heavy gauge steel. electro-coated enamel finish for superior appearance and protection. Steel panels in the drawers for extra rigidity, ball bearing drawer runners. Supplied with drawer liners and top mat.

Drawer sizes (W x D x H): 2 @ 590.5 x 410 x 102mm. **Spares Order Code**

Lock	SPR-567-7210K			
Key Blank	SPR-567-7320K			
Draw Slide	SPR-567-7040K			
Top Mat	SPR-567-7560K			
Draw Liner	SPR-567-6610K			
For Prices see Page 536				

Colour	Width	Depth	Height	Weight	Order Code
	(mm)	(mm)	(mm)	each	KEN-594
Red Green	688	459	280	44.0kg	-5400K -5410K

Tool Chests

3 Drawer **Top compartment** size:

90 x 660 x 150mm.

Drawer sizes $(W \times D \times H)$:

1@ 590 x 285 x 50mm. 2@

590 x 285 x 100mm.

Spares	Order Code
Lock	SPR-567-7240K
Key Blank	SPR-567-7320K
Draw Slide	SPR-567-7000K
Lid Stays	SPR-567-6950K
Draw Liner	SPR-567-6610K
For Prices	see Page 536

Colour	Width (mm)	Depth (mm)	Height (mm)	Weight each	Order Code KEN-594
Red	690	315	385	44.0kg	-5200K

6 Drawer Top compartment size:

660 x 150 x 90mm. **Drawer sizes**

(W x D x H): 2@

125 x 285 x 50mm.

1 @ 280 x 285 x 50mm. 2 @ 590 x 285 x 50mm.

1@

590 x 285 x 1	00mm.		
Spares Lock Key Blank Draw Slide Lid Stays Draw Liner For Prices	Order Code SPR-567-7240K SPR-567-7320K SPR-567-7000K SPR-567-6950K SPR-567-6610K see Page 536	*	

Colour	Width (mm)	Depth (mm)	Height (mm)	Weight each	Order Code KEN-594
Red Green	690	315	385	44.0kg	-5240K -5250K

Top compartment size (W x D x H): 660 x 150 x 90mm.

Drawer sizes (W x D x H): 6 @ 125 x 410 x 50mm. 1 @ 170 x 410 x 155mm.

2 @ 130 x 410 x 75mm. 2 @ 590 x 410 x 50mm. 1 @ 590 x 410 x 100mm.

Uses 14" drawer slides. Type B lid stays.

EXTRA DEEP

Spares Key Blank Draw Slide Lid Stavs Draw Liner

Order Code SPR-567-7240K SPR-567-7320K SPR-567-7040K SPR-567-6950K SPR-567-6610K

For Prices see Page 536

Colour	Width	Depth	Height	Weight	Order Code
	(mm)	(mm)	(mm)	each	KEN-594
Red Green	690	445	490	48.0kg	-5280K -5290K

Extra Deep Tool Chests

5 Drawer

Over 25% deeper than standard size toolchests for extra storage.

Drawer sizes (W x D x H): 3 @ 595 x 405 x 50mm. 2 @ 595 x 405 x 100mm.

Uses 14" drawer slides. Type B lid stays.

EXTRA DEEP

Spares Lock Key Blank Draw Slide Lid Stavs Draw Liner

Order Code SPR-567-7240K SPR-567-7320K SPR-567-7060K SPR-567-6960K SPR-567-6610K

For Prices see Page 536

Colour		Deptn (mm)		KEN-594
Red	660	405	510	-5340K

9 Drawer

Over 25% deeper than standard size toolchests for extra storage.

Drawer sizes (W x D x H):

6 @ 295 x 405 x 50mm. 1 @ 595 x 405 x 50mm. 2 @ 595 x 405 x 100mm.

Uses 14" drawer slides. Type B lid stays.

EXTRA DEEP

Spares Lock Key Blank Draw Slide Lid Stavs

Draw Liner

Order Code SPR-567-7240K SPR-567-7320K SPR-567-7060K SPR-567-6960K SPR-567-6610K

For Prices see Page 536

Colour	Width (mm)			Order Code KEN-594
Red	660	405	510	-5360K



KENNEDY Roller PROFESSIONAL Cabinets

Manufactured from heavy gauge steel with double wall construction side panels and welded joints for added rigidity. Coated in a hard wearing epoxy powder. Fully opening drawers for extra accessibility. Quick release smooth running ball bearing drawer slides with double sliders on base drawer. Supplied with top mat and drawer liners. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Overall dimensions: 890 x 690 x 460mm. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent re-location when loaded, and when moved should only ever be pushed.

5 Drawer

Drawers (W x D x H):

4 @ 590 x 410 x 100mm.

1 @ 590 x 410 x 200mm.

Uses 16" drawer slides.



-5510K

Order Code SPR-567-7210K **Spares** SPR-567-7320K Key Blank SPR-567-7040K Draw Slide SPR-567-6920K Castors Top Mat SPR-567-7560K Draw Liner SPR-567-6610K For Prices see Page 536 Width Depth Height Weight Order Code KEN-594 Colour (mm) (mm) (mm) each Red -5540K 44.0kg 690 460 890 Green -5550K **Tool Box on Wheels**

Steel lid stay prevents accidental closure. Heavy duty side handles

with 90° stop to prevent hand injury. Full width drawers with one

7 Drawer Drawers (W x D x H):

Green

Red

Green

690

460

890

4 @ 590 x 410 x 50mm. 2 @ 590 x 410 x 100mm. 1 @ 590 x 410 x 200mm.



piece drawer slides, allow the drawers to be fully extended. Heavy duty 125mm castors - two fixed and two swivel, steel steering rod with cushion grip, allows the tool box to be easily moved around even when fully loaded. The lid is reinforced to allow it to be used for standing on. Warning: the castor brake must be applied and the lid closed before using as a "step-up". **Overall Dimensions:** W665 x D305 x H370. Top compartment size: 660 x 300 x 120mm. **Drawer sizes:** 2 @ 575 x 275 x 40mm; 1 @ 575 x 275 x 60mm.

Overall

Depth

520mm

Weight

each

KEN-594

-3010K

Overall

Length

660mm

Overall

305mm

-5580K

-5590K

53.0kg

594 ROLLER CABINETS & TOOL CHESTS

KENNEDY Extra Large Tool Chests & PROFESSIONAL Roller Cabinets

Manufactured from heavy gauge steel with double wall construction side panels and welded joints for added rigidity. Coated in a hard wearing epoxy powder. Fully opening drawers for extra accessibility. Quick release smooth running ball bearing drawer slides. Supplied with top mat and drawer liners. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent relocation when loaded and should only ever be pushed.

11 Drawer Top Chest

Top compartment (W x D x H): $1020 \times 390 \times 100 \text{mm}$.

Drawer sizes (W x D x H):

5 @ 580 x 415 x 50mm. 1 @ 580 x 415 x 100mm. 4 @ 270 x 415 x 50mm. 1 @ 270 x 415 x 150mm.



Colour					Order Code KEN-594
Red	1030	460	530	94.0kg	-5780K

11 Drawer Roller Cabinet

Drawer sizes (W x D x H):

4 @ 270 x 415 x 50mm.

4 @ 560 x 415 x 50mm. 2 @ 560 x 415 x 100mm.

1 @ 560 x 415 x 170mm.

Uses 14" drawer slides. Type B lid stays.







Colour			Height (mm)		Order Code KEN-594
Red	680	480	1130	83.0kg	-5740K

7 Drawer Roller Cabinet

Internal drawer dimensions Bottom compartment (W x D x H):

400 x 460 x 300mm. 400 x 460 x 415mm

Drawer sizes (W x D x H):

4 @ 580 x 415 x 50mm. 2 @ 580 x 415 x 100mm. 1 @ 580 x 415 x 150mm.



Magnetic Tool Tray

Steel tool/parts tray with durable hardwearing corrosion-resistant powder coated finish. Suitable for keeping small parts, components and tools near to hand when working on vehicles, domestic appliances and other equipment. Three high strength magnets in protective non-scratch rubber coating.





Length x Width Weight Order Code x Depth (mm) each KEN-594 210 x 115 x 115 -6500K 310 x 115 x 115 -6520K

ROLLER CABINETS & TOOL CHESTS 594

Extra Large, Extra Heavy Duty Tool Chest

4 Drawer + Top compartment

Heavy gauge steel, welded and riveted to form an extremely rigid construction. The two part epoxy powder paint finish gives excellent corrosion resistance and ensures durability. The central locking system automatically locks the closed drawers when the lid is lowered to give good security. A full width piano hinge provides rigidity, strength and additional security. The drawers have smooth running ball bearing drawer slides and each drawer has its own safety catch to prevent accidental opening. The Four full-length drawers have rigid aluminium edged handles and are sized:

Drawer sizes (W x D x H):2 @ 560 x 340 x 40mm 1 @ 560 x 340 x 65mm
1 @ 560 x 340 x 95mm

Width	Depth	Height	Weight each	Order Code
(mm)	(mm)	(mm)		KEN-594
715	415	450	35 5kg	-4820K

KENNEDY Extra Heavy Duty PROFESSIONAL Tool Chest

9 Drawer + Top compartment

Heavy gauge steel, welded and riveted to form this extra large chest. Corrosion resistant powder coated finish provides superb durability. The locking mechanism locks all drawers as the lid is closed and each drawer has its own safety catch to prevent accidental opening for added security. Four heavy duty type carry handles with comfortable grips for easier lifting. The lid has a full width piano hinge giving extra rigidity, strength and additional security. Drawers have smooth running ball bearing drawer slides and rigid aluminium edged handles. Drawer sizes (W x D x H):

2	@	560	x 34	0 x 40mm		305	x 340	x 40mm
2	@	560	x 34	0 x 65mm	1@	305	x 340	x 65mm
1	ത	560	v 2/	0 v 05mm	1 @	305	v 310	v 120mm

Width (mm)	Depth (mm)	Height (mm)	Weight each	Order Code KEN-594	
1090	450	530	68kg	-4860K	





Features of our XD and XDXL range













HD Castors

HD Side Handle

Checker-plate Top

Ball Bearing Slides

Extra Heavy Duty Roller Cabinet — 7 Drawer

Heavy gauge steel, welded and riveted to give an extremely rigid construction. Corrosion resistant powder coated finish provides superb durability. Locking mechanism locks all the closed drawers which have individual safety catches to prevent accidental opening. Four heavy duty castors, two fixed and two swivel which when combined with the heavy duty side handle enable the user to move it with ease. All drawers have smooth running ball bearing drawer slides and aluminium edged handles.

Drawer sizes (W x D x H):

1	@	560 x	390 >	(40mm ⁻	
4	@	560 x	390 >	(65mm	

1 @ 560 x 390 x 95mm 1 @ 560 x 390 x 205mm

Width	Depth	Height	Weight	Order Code
(mm)	(mm)	(mm)	each	KEN-594
740	460	995	71 5kg	-4840K

Extra Large, Extra Heavy Duty Roller Cabinet

Heavy gauge steel, welded and riveted to give extremely rigid construction. The two part epoxy powder paint finish gives excellent corrosion resistance and ensures durability. The central locking system locks all the closed drawers which have individual safety catches. The heavy duty castors and side handle are designed to cope with the extra large size and weight. Drawers have smooth running ball bearing drawer slides and rigid aluminium edged handles.

Drawer sizes (W x D x H):

Diawei Sizes (W X D X II).
2 @ 560 x 390 x 95mm 1 @ 305 x 390 x 95mm
4 @ 560 x 390 x 65mm 3 @ 305 x 390 x 65mm
1 @ 560 x 390 x 205mm 1 @ 305 x 390 x 180mm
1 @ 305 x 390 x 205mm

Width	Depth	Height	Weight	Order Code
(mm)	(mm)	(mm)	each	KEN-594
1115	460	1050	110 5kg	-488UK

Manufactured from heavy gauge stainless steel with double wall construction side panels and welded joints for added rigidity. Quick release smooth running ball bearing drawer slides. Fully locking. Drawer loads should be evenly distributed. Suitable for use in health and catering environments.

4 Drawer



44kg

-1540K

Stainless Steel Roller Cabinet

Manufactured from heavy gauge stainless steel with double wall construction side panels and welded joints for added rigidity. Quick release smooth running ball bearing drawer slides. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed. Roller cabinets are not suitable for frequent re-location when loaded and should only ever be pushed. Suitable for use in health and catering environments.

7 Drawer **Drawer sizes** $(W \times H \times H)$: 5 @ 597 x 428 x 90mm. 1 @ 597 x 428 x 135mm. 1@597x 428 x 180mm.

Spares

Key Blank

Draw Slide

Castors

Top Mat

Draw Liner



Order Code KEN-594 Width Depth Height Weight (mm) (mm) (mm) each 683 480 887 72kg -6020K

Cabinet & Chest Spares

470

673

* Note: Draw liner size is 583 x 405mm and can be cut to size.

513

			Town to the same				2				
	Lock	Key Blank		Slides	Lid S	tays	Cast	ors	Top N	/lat	Draw Liner*
Cabinet/Chest Order Code	Order Code SPR-567	Order Code SPR-567	Order Code SPR-567		Order Code SPR-567		Order Code SPR-567		Order Code SPR-567		Order Code SPR-567
KENNEDY.											
KEN-594-1540K	-7210K	-7320K	_		_	-			_	-	-6610K
KEN-594-4820K		-7320K	-		-				-		-6610K
KEN-594-4840K		-7320K	-	_	-	-	_	-	_	-	-6610K
KEN-594-4860K		-7320K	-	-	-	-	-		-	-	-6610K
KEN-594-4880K		-7320K	-	-	-	-	_	-	-	-	-6610K
KEN-594-5200K		-7320K	-	-	-	-	_	-		-	-6610K
KEN-594-5210K		-7320K	-	-	-	-	-	-	-	-	-6610K
KEN-594-5240K		-7320K	-	-	-	-	-		-	-	-6610K
KEN-594-5250K		-7320K	-	-	-		_	-	-	-	-6610K
KEN-594-5280K		-7320K	-	-	-	-	-		-	-	-6610K
KEN-594-5290K		-7320K	-	-	-	-	-	-	-	-	-6610K
KEN-594-5340K		-7320K	-	-	-	-	-	-	-	-	-6610K
KEN-594-5360K		-7320K	-		_			-	-	-	-6610K
KEN-594-5400K	-7210K	-7320K	-	$\Lambda_{\mathbf{v}}$	raila	hla	OB.	-	-7560K		-6610K
KEN-594-5410K	-7210K	-7320K	-	<i>-</i> 4 v	unu	NIC	UII	-	-7560K		-6610K
KEN-594-5500K		-7320K	-				_	-	-7560K		-6610K
KEN-594-5510K		-7320K	-		requ	Jesi		-	-7560K		-6610K
KEN-594-5540K	-7210K	-7320K	-	DI-			AA		-7560K		-6610K
KEN-594-5550K	-7210K	-7320K	-	Pie	ase	con	Tact		-7560K		-6610K
KEN-594-5580K	-7210K	-7320K	-			_	_	•	-7560K		-6610K
KEN-594-5590K		-7320K	-	V	our	loc		-	-7560K		-6610K
KEN-594-5700K		-7320K	-						-	-	-6610K
KEN-594-5740K		-7320K	-	die	tribu	ıtoı	for	-	-	-	-6610K
KEN-594-5780K		-7320K	-	415			101	-	-	-	-6610K
KEN-594-6020K	-7210K	-7320K	-		det	nile		-	-	-	-6610K
SENATOR.			1		uei	HIIS	·)				
SEN-594-0200K			-		-	-	-	-	-	-	-6610K
SEN-594-0240K		-7320K	-	-	-	-	-	-	-	-	-6610K
SEN-594-0580K		-7320K	-	-	-	-	-	-	-7560K		-6610K
SEN-594-1030K	-7210K	-7320K	-	-	-	-	-	-	-7560K		-6610K
SEN-594-1050K	-7210K	-7320K	-	-	-	-	-	-	-7560K		-6610K
YAMOTO											
YMT-594-0200K		-7320K	-		-	-	-	-	-	-	-6610K
YMT-594-0240K		-7320K	_	-	-		_	-	-	-	-6610K
YMT-594-0280K		-7320K	-		-		-	-	-	-	-6610K
YMT-594-0500K		-7320K	-	-	-	-	-	-	-7560K		-6610K
YMT-594-0540K	-7210K	-7320K	-	-	-	-	-	-	-7560K		-6610K
YMT-594-0580K	-7210K	-7320K	-	-	-	-	-	-	-7560K		-6610K

YAMOTO Starter Mechanic's Tool Kit - 100 pieces

- 8" & 12" satin chrome adjustable wrench set.
 5m/16ft locking tape rule.
- · Lightweight hacksaw frame.
- 400cc lever type steel grease gun.
- 150mm long nose pliers.
- 200mm long nose pliers.
- 150mm diagonal nippers.
 150mm linesmans combination pliers.
- 200mm linesmans combination pliers.
- 250mm waterproof pliers.
- 12 piece mechanics pattern screwdriver set.
- 7 piece 6 19mm chrome vanadium open ended spanner set.
- 14 piece 6 19mm chrome vanadium combination spanner set.
- 55 piece ³/₈" drive socket and bit set.
 6 drawer red tool chest.

Set contents may vary slightly according to product development and availability.



-

Number	Weight	Order Code
of Pieces	each	YMT-595
100	34.0kg	-3500K

SENATOR 90 Piece Engineer's QUALITY TOOLING Workshop Tool Kit

- Top chest
- 24 piece ½" drive metric socket set
- 6 Piece 16cm cut 2 assorted needle file set
- 10x 12" x 1/2"x 18tpi All hard hacksaw blades
- 8"/200mm Chrome vanadium adjustable spanner
- 12" Rule walleted
- Metric/inch feeler gauge 60mm blade length
- 1½lb Ball pein hammer- hickory shaft
- 16oz Black rubber mallet wood shaft
- 5m/16ft Locking tape rule chromed case
- 8 seg 18mm Heavy duty snap-off blade knife
- Retractable trimming knife
- · DIY hacksaw
- 2x 50mm G clamps
- 2x 100mm G clamps
- 6" Snipe nose plier/side cutter8" Straight blade tinsnip
- 6" Diagonal cutting nipper

- 7" Linesman plier
 10" Multiple slip joint plier
 10" Straight jaw high strength grip wrench
- Multi function plier
- 16 Function 10-blade tool
- 12 Piece fluted handle screwdriver set
- 14 Piece 6-19mm drop forged combination spanner set

Set contents may vary slightly according to product development and availability.



Number	Weight	Order Code
of Pieces	each	SEN-595
90		-1000K

ENNEDY 300 Piece Engineers Professional Tool Kit

Supplied in a 5 drawer professional roller cabinet and a 3 drawer top chest. Manufactured from heavy gauge steel with double wall construction side panels and welded joints for added rigidity. Coated in a hard wearing epoxy powder. Fully opening drawers for extra accessibility. Quick release smooth running ball bearing drawer slides with double sliders on base drawer. Supplied with top mat and drawer liners. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Overall dimensions: 890 x 690 x 460mm. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed.

3 drawer top chest.

Top compartment size: 89 x 661 x 150mm. Drawer sizes: 1 @ 51 x 591 x 282.5mm, 2 @ 102 x 591 x 282.5mm.

5 drawer roller cabinet, internal drawer dimensions:

Drawers: 4 @ 591 x 460 x 102mm. Drawers: 1 @ 591 x 410 x 204mm.

Contents:

- Set of 25 HSS Drills 1 13.00mm x 0.5mm.
- 8 Piece 200mm (8") double cut engineers file set.
- 16cm (6½") cut 2 assorted needle file set.
- 20x 150mm (6") Junior hacksaw blades.
 10x 12" x ½" x 18TPI HSS all hard
- hacksaw blade.
- 25x 230mm x 280mm Assorted abrasive sheets.
- 200mm (8") Soft grip phosphate adjustable wrench.
- 6x 150mm flat cold chisels.
- 3" 18-bld. Met/imp comb feeler gauge set.
 4" x ³/₁₆" (4.8mm) square head
- centre punch
- · Set of 6 parallel pin punches.
- 150mm/6" imp/metric rigid rustless rule.
 300mm/12" rigid rustless rule round end.
 150mm (6") engineers square.
 300mm (12") engineers square.

- 7" Double ended engineers scriber.
- 11/4" Focal length eye loupe.
- Adjustable telescopic 1¹/₄" mirror.
 Set of 2: ¹/₁₆" ¹/₄" & ¹/₄" ³/₄" tap wrenches.
- 1lb ball pein hammer wood shaft.
- 16oz black rubber mallet wood shaft.
- 5½" Plastic handle household scissors.
- 81/2" Plastic handle household scissors.
- 5m/16" Professional ABS steel tape.
- Snap-off 8 seg-blade heavy duty economy knife.
- Retractable trimming knife c/w 5 blades.
- Beaver style junior hacksaw.
- Professional 'plus' cushion grip hacksaw.
- · Magnetic pick-up tool.
- Set of 4 Pro-Torq pliers.
- 10" Ideal grip wrench.
 12 piece Pro-Torq screwdriver set.
 64 Piece ¹/₄" hexagon bit set.
- 1/4" hex bit driver.
- 7 Piece box spanner set 6-19mm c/w tommy bars.
- Combination wrenches: 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm. • 50 Piece metric ³/₈" square drive
- socket set.
- 8" Straight blade tinsnip.
- 3 Drawer professional tool chest.
- 5 Drawer professional roller cabinet.
- 8 Piece Metric Pro-Torq hex wrench set on clip.
- 9 Piece Inch Pro-Torq hex wrench set on clip. • 19mm x 33m Black PVC insulation tape.

Set contents may vary slightly according to product development and availability.

Number Weight Order Code of Pieces each **KEN-595**

-3080K



of Pieces

KENNEDY 208 Piece Apprentice Engineer's PROFESSIONAL Tool Kit- AET 200

Supplied in a three drawer professional roller cabinet and a three drawer top chest. Manufactured from heavy gauge steel with double wall construction side panels and welded joints for added rigidity. Coated in a hard wearing epoxy powder. Fully opening drawers for extra accessibility. Quick release smooth running ball bearing drawer slides with double sliders on base drawer. Supplied with top mat and drawer liners. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Overall dimensions: 890 x 690 x 460mm. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed.

3 Drawer Top Chest

Top compartment size: 89 x 661 x 150mm. Drawer sizes: 1 @ 51 x 591 x 282.5mm. 2 @ 102 x 591 x 282.5mm.

3 Drawer Roller Cabinet **Internal Drawer Dimensions**

Bottom compartment size: 610 x 432 x 356mm. Drawer sizes: 3 @ 591 x 410 x 102mm.

Contents:

- 25 piece HSS drill set 1 13.00mm x 0.5mm.
- 6 piece 200mm double cut engineer's file set.
- 6 piece 16cm cut 2 assorted needle file set.
- 25 x 230 x 280mm assorted abrasive sheet.
- 200mm chrome vanadium steel adjustable spanner.
- 6 x 150mm flat cold chisel.
- 19mm x 33m black pvc insulation tape.
- 76mm, 18 blade combination feeler gauge set.
- 4.8mm square head centre punch.
- 150mm/6" stainless steel rule c/w pocket clip.
- 178mm double ended engineer's scriber.
- Eye loupe.
- Adjustable telscopic 30mm dia. inspection mirror (expands to 180mm).
- 6 piece parallel pin punch set: 2.4, 3.2, 4.0, 4.8, 5.5 and 6.4mm.
- 150mm/6" engineer's square BS 939 grade B.
 Tap wrenches 1.5 6.4mm and 6.4 19mm.
- Magnetic telescopic pick-up tool extends to 550mm.
- 29 piece engineer's bit set. All 6mm hex x 25mm overall length, complete with magnetic spinner handle, 6mm hexagon bit adaptor and 6mm square socket adaptor. Hexagon: 2, 3, 4, 5, 6, 7 and 8mm; flat: 3, 4, 5, 5.5, 6.5 and 8mm; $\sqrt[3]{32}$, $\sqrt[4]{8}$, $\sqrt[5]{32}$, $\sqrt[3]{46}$, $\sqrt[4]{4}$, $\sqrt[7]{32}$
- and 5/16"; crosspoint: No.1, 2 and 3; Pozidivis: No.1, 2 and 3. • 450g (1lb) ball pein hammer wood shaft.
- 7.5m/25ft steel tape.
- Snap-off 8 segment blade economy knife.
- Retractable trimming knife with 5 blades.
- Junior hacksaw frame.
- 300mm lightweight professional hacksaw frame.
- 6 off 12" x ½" x 18tpi HSS hacksaw blades.
- 20 junior hacksaw blades.
- 2 plastic handle household scissors.
- 150mm snipe nose plier with side cutter.
- 150mm diagonal cutting nipper.
- 150mm engineers combination pliers with side cutter.
- 250mm curved jaw high strength grip wrench.
- 8 piece Pro-Torq screwdriver set: crosspoint: No.1 x 75, No.2 x 100; pozidriv®: No.2 x 100; flared: 6.3 stubby, 6.3 x 100, 8.0 x 200; parallel: 5.0 x 75, 5.0 x 150.
- 14 piece combination spanner set: 6, 7, 8, 9, 10,
- 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.
 25 piece metric socket set ½" square drive sockets: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27, 30 and 32mm.
 Spark plug sockets: M10 and M14. Accessories: quick release ratchet handle, sliding T-handle, universal joint, 75, 125 and 250mm extension bars.
- 9 piece metric hex key set 1.5 10mm.

Set contents may vary slightly according to product development and availability.

Number Weight Order Code of Pieces each **KEN-595** of Pieces 208 -0550K



Page **539**

595 TOOL CONTROL

KENNEDY Tool PROFESSIONAL Control

CAD designed and high precision laser cut foam tray inserts are designed to keep tools precisely and accurately in the correct position and drawers for improved productivity. In some applications a dropped tool is a serious hazard, colour contrasting foam inserts are used to easily recognise lost tooling and also reduce audit time.

Areas of use include food industry maintenance, automotive assembly.



25 Piece Set - TCD025

Professional Pliers

1x 160mm snipe nose. 1x 160mm diagonal cutters. 1x 160mm combination.

Pro-Torq Screwdrivers

Crosspoint:

No.2 x stubby, No.2 x 100mm.

Pozidriv:

No.1 x 75, No.2 x 100, No.3 x 150mm.

Flared:

6.3 x 150, 8.0 x 200mm.

Parallel:


5.0 x 150mm.

Metric Professional Combination Wrenches

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 and 19mm.







Dimensions: 590 x 410 x 45mm

Suitable for Kennedy Toolchests - **KEN- 594-5580K & KEN- 594-5590K** (see page 1140 for details)

50 Piece Set - TCD050

Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm.

Deep Sockets:

10, 11, 12, 13, 14, 15, 17, 19 and 22mm.

Screwdriver Bits:

Slotted

5, 5.5 and 6.5mm.

Crosspoint

No.1, 2, 3, and 4.

Hex Bits:


3, 4, 5, 6, 8 and 10mm.

Accessories:

Ratchet handle, sliding T-handle, spinner handle, swivel handle. Universal joint. 125 and 250mm extensions, 250mm wobble extensions, 1/4" and 1/2" male adaptors, 1/4" hex bit coupler.



Model	Number of	Weight	Order Code	
Number	Pieces	each	KEN-595	
TCD055	50	6.2kg	-5020K	




KENNEDY Complete Tool Control Sets include a Kennedy Professional Roller Cabinet

Manufactured from heavy gauge steel with double wall construction side panels and welded joints for added rigidity. Coated in a hard wearing epoxy powder. Fully opening drawers for extra accessibility. Quick release smooth running ball bearing drawer slides with double sliders on base drawer. Supplied with top mat and drawer liners. Fully locking. 125 x 50mm heavy duty extra strong castors, fitted with two brakes. Overall dimensions: 890 x 690 x 460mm. Castors are rated to 100kg capacity standing load per castor. Drawer loads should be evenly distributed. 7 Drawer Roller Cabinet

Drawers (W x D x H): 4 @ 590 x 410 x 50mm. 2 @ 590 x 410 x 100mm. 1 @ 590 x 410 x 200mm.

25 Piece Set Configuration







25 Piece Set With Professional Roller Cabinet

TCC025

Professional Pliers

1 x 160mm Snipe nose 1 x 160mm diagonal cutters 1 x 160mm combination

Metric Professional Combination Wrenches

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

Pro-Torq Screwdrivers

Crosspoint: No.2 x stubby, No.2 x 100mm Pozidriv(r): No.1 x 75, No.2 x 100, No.3 x 150mm

Flared: 6.3 x 150, 8.0 x 200mm Parallel: 5.0 x 150mm



Model	No. of Pieces	Weight	Order Code
Number		each	KEN-595
TCC025	25	55.3kg	-5540K

50 Piece Set With Professional Roller Cabinet

TCC050

Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 & 22mm. Deep Sockets: 10, 11, 12, 13, 14, 15, 17, 19 & 22mm.

Screwdriver Bits: **Slotted** 5, 5.5 and 6.5mm. Crosspoint No.1, 2, 3, and 4.

Hex Bits: 3, 4, 5, 6, 8 and 10mm.

50

Accessories:

Ratchet handle, sliding T-handle, spinner handle, swivel handle. Universal joint. 125 and 250mm extensions, 250mm wobble extensions, ½" and

PIECES

1/2" male adaptors, 1/4" hex bit coupler.



59.2kg

75 Piece Set With Professional Roller Cabinet - TCC075

Professional Pliers

1 x 160mm Snipe nose 1 x 160mm diagonal cutters

1 x 160mm combination.

Metric Professional Combination Wrenches

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18 & 19mm

Pro-Torq Screwdrivers

Crosspoint - No.2 x stubby, No.2 x 100mm.

Pozidriv(r) - No.1 x 75, No.2 x 100,

No.3 x 150mm.

Flared - 6.3 x 150, 8.0 x 200mm.

Parallel - 5.0 x 150mm.

Sockets: 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21 and 22mm.

Deep Sockets:

10, 11, 12, 13, 14, 15, 17, 19 and 22mm.

Screwdriver Bits:

Slotted: 5, 5.5 and 6.5mm. Crosspoint: No.1, 2, 3, and 4 **Hex Bits:** 3, 4, 5, 6, 8 and 10mm.

Accessories:

Ratchet handle, sliding T-handle, spinner handle, swivel handle. Universal joint. 125 and 250mm extensions, 250mm wobble extensions, $^{1/4}$ " and $^{1/2}$ " male adaptors, 1/4" hex bit coupler.

Model	No. of Pieces	Weight	Order Code
Number		each	KEN-595
TCC075	75	61.5kg	-5500K



TCC050





-5520K



Contents:

• Toolbox. • 6 piece Pro-Torq screwdriver set: crosspoint No.1 x 75 and No.2 x 100mm; flared 6.3 x 100 and 8.0 x 250mm; parallel 5 x 100 and 5 x 200mm. • 6 piece precision screwdriver set: crosspoint PHO and PH1; parallel 1.4, 2.0, 2.4, and 3.0mm. • 6 - 19mm 14 piece metric combination spanner set. • 9 piece metric hex key set: 1.5 - 10mm. 8 piece 2nd cut file set: 1 each flat, hand, round, half round,

3 square and square. • 12 piece 2nd cut needle file set: 1 each hand, flat, knife, round, half round, square, 3 square, crossing, round edge joint, slitting, warding and barrette. • 2 of each grade 0, 1 and 2 emery sheets. • 200mm/8" phosphate adjustable wrench. • 18 blade metric/inch feeler gauge.

Magnetic pick-up tool extends to 650mm.

7.5m/25ft locking tape rule.
Snap-off blade knife.
Junior hacksaw
20 junior hacksaw blades.

300mm (12") hacksaw frame. • 6 hacksaw blades.

General purpose shears. • 3 piece professional plier set.

255mm straight jaw grip wrench. • 6mm x 150mm flat cold chisel.

1lb ball pein hammer. • 175mm engineers scriber.

30mm diameter inspection mirror (extends to 650mm).

150mm (6") engineers square.

Centre punch. • 150mm (6") pocket rule.

100cc grease gun. Eye loupe.





Number of Pieces

Weight each **KEN-595**

-0500K

SENATOR, 110 Piece Power QUALITY TOOLING Bit Set

Comprehensive multi-purpose power bit set suitable for use with hand and power tools. Features most commonly used accessories for your corded or cordless drill uniquely packaged for easy organisation and storage. Complete with moulded plastic case.

50x 25mm Bits: 14x Slotted: 4mm x3, 5mm x4, 6mm x4, 7mm x3.

11x Crosspoint: No.1 x4, No.2 x4, No.3 x3. 7x Star: T10, T15, T20, T25, T27, T30, T40. 13x Pozi: No.0, No.1 x5, No.2 x5, No.3 x2. 5x Hex: 2.0, 3.0, 4.0, 5.0, 6.0mm.

10x 50mm Bits: 3x slotted: 5.0, 6.0mm x2.

4x crosspoint: No.1, No.2 x2, No.3. 3x star: T10, T15, T50.

14x Nutdriver: 7x Metric: 5, 6, 7, 8, 9, 10 and 11mm. 7x AF: 3_{16} ", 7_{32} ", 1_{4} ", 9_{32} ", 5_{16} ", 11_{32} " and 3_{8} ".

13x HSS fully polished drill with hex shank:

4x Drill Stopper: 4, 5, 6 and 8mm.

1x bit holder with magnet.

Shank: 4, 5, 6 and 8mm. 5x Woodworking

4. 5. 6 and 8mm. **Packaging** dimensions





Number Weight of Pieces each 110 1.9kg -3110K

161 Piece Power Bit Set

Comprehensive multipurpose power bit set. Features most commonly used accessories for your corded or cordless drill. Suitable for use with hand and power tools. Complete with moulded plastic case. Uniquely packaged for easy organisation and storage. 2 Storage compartments situated in the

Packaging dimensions $(W \times H \times D)$: 455 x 178 x 297mm

Gross weight: 3.4kg

SEN-595

Number Weight of Pieces each 3.4kg -3160K 161

1x quick change adaptor, 1x 2.5mm hex key, 1x countersink.

1.5, 2.0, 2.5, 3.0, 3.2, 3.5, 4.0, 4.5, 4.8, 5.0, 5.5, 6.0 and 6.5mm.

1x 50mm spade bit extension.

 $(W \times H \times D)$: 383 x 213 x 297mm.



SENATOR. 22 Piece QUALITY TOOLING Plumber's Kit

Supplied in a robust toolbox c/w double latch.

Contents:

- · Tool box.
- 255mm (10") stillson wrench.
- 3 22mm capacity tubing cutter.
- 3 41mm tube deburrer.
- 9.5 32mm basin wrench.
- 300mm girder section spirit level.
- Telescopic inspection mirror.
- Junior hacksaw frame c/w hardened blade.
- Pad saw.
- 255mm groove slip joint waterpump plier.
 6 piece flat wood bit set 9.5 25mm.
- 12mm x 12m PTFE thread sealing tape to **BS6920**.
- 100g fluxite paste.
- Powerflow lead free solder 3.25mm 250g.
 3 row plastic handle wire scratch brush.

- 450g (1lb) grade 2 wire wool.Blow lamp and 2175 gas cartridge.



Number Weight Order Code KEN-595 of Pieces 22 -4010K

Builder's Construction Tool Kit - 23 pieces

• 9" (225mm) hi-vis magnetic boat level. • 24" (600mm) hi-vis girder section level.

6" london pattern pointing trowel.
11" board heel brick trowel.

• 11½" x 4½" plasterers finishing trowel.

• 11/2" ball pein hammer with hickory shaft.

• 16oz claw hammer with wooden shaft.

3m/10ft hi-vis locking tape with

yellow casing. 30m/100ft fibre glass measuring

13 segment 9mm standard snap-off blade knife.

• Retractable trimming knife. • 6" diagonal cutting nipper.

• 8" linesmans pliers. • 8 piece fluted handle screwdriver set.

• 10" straight blade tinsnip.

• 24" canvas tool bag.



Weight each Number of Pieces 23 -1500K 4.2kg

SENATOR 51 Piece Home QUALITY TOOLING Handyman Tool Kit

HHK51

Supplied in a robust tool box c/w double latch.

Contents:

- Tuff-E Tool Box.
- 8 piece fluted handle screwdriver set: flared 6mm stubby, 3 x 100mm and 8 x 200mm; parallel 3.2 x 75mm and 4 x 150mm; pozidriv No.2 stubby, No.1 x 75mm and No.2 x 100mm.
- 10 piece screwdriver bit set: 6mm quick release hex bit adaptor; flat 3, 4, 5, 6 and 8mm; crosspoint No.0, 1, 2 and 3mm. 200mm (8") chrome vanadium adjustable spanner.
- 225mm (9") hi-vis magnetic boat level.
- 600mm (24") hi-vis girder section level.
- 150mm mains tester, range 125/250V.
- 19mm x 33m black pvc insulation tape.
- Adjustable telescopic 300mm dia inspection mirror.
- •450g (16oz) claw hammer wood shaft.
- •3M/10ft hi-vis locking tape.
- 13 seg 9mm standard snap-off blade knife.
- Retractable trimming knife c/w 5 blades.
- 150mm (6") junior hacksaw frame c/w hardened blade. •150mm (6") junior hacksaw blade for metal (10). •300mm (12") DIY hacksaw frame. 177mm (7") plastic handle household scissors. 63mm (2½") half tang filling knife.
- 76mm (3") half tang scraper.
- Magnetic pick-up tool extends to 650mm.
- 150mm (6") linesman's plier. 125mm (5") snipe nose plier. 125mm (5") diagonal cutting nipper.
- 255mm (10") straight jaw grip wrench.
- Bradawl. 415 Piece poly fish type wall plug set.

Set contents may vary slightly according to product development and availability.

Number of Pieces	Weight each	Order Code SEN-595	
51	7kg	-0520K	



HHK61

Supplied in a robust toolbox c/w double latch.

Contents:

• Tool box with tote and wheels. • 8 piece fluted handle screwdriver set: flared 6mm stubby, 3 x 100mm and 8 x 200mm; parallel 3.2 x 75mm and 4 x 150mm; posidriv No.2 Stubby, No.1 x 75mm and No.2 x 100mm.

• 10 piece screwdriver bit set: 6mm quick release hex bit adaptor; flat 3, 4, 5, 6, and 8mm; crosspoint No.0, 1, 2, and 3mm. • 18 piece wood, metal and masonry drill set 3, 4, 5, 6, 8 and 10mm bits. • CD12V-KB cordless drill and kitbag.

200mm (8") chrome vanadium adjustable spanner.
225mm (9") hi-vis magnetic boat level.
600mm (24") hi-vis

• 225mm (9) ni-vis magnetic boat level. • 600mm (24) ni-vis girder section level. • 19mm x 33m black pvc insulation tape.

150mm euro tester range 125/250V.

Adjustable telescopic 300mm diameter inspection mirror.

• Magnetic pick-up tool extends to 650mm.

• Bradawl.

• 450g (16oz) claw hammer wood shaft.

3m/10ft Senator hi-vis locking tape.

• 13 segment 9mm standard snap-off blade knife.

• Retractable trimming knife c/w 5 blades.

Junior hacksaw frame c/w hardened blade.

DIY hacksaw frame.

• 177mm (7") plastic handled multi-purpose household scissors. • 63mm ($2^{1/2}$ ") half tang filling knife.

• 76mm (3") half tang scraper. • 150mm (6") linesman's plier. • 125mm (5") snipe nose plier.

- 125mm (5") diagonal cutting nipper.
- 255mm (10") straight jaw grip wrench.
- 22" x 8pts homesaw hand saw.

Set contents may vary slightly according to product development and availability.

Number of Pieces	Weight each	Order Code SEN-595	
61	16kg	-0540K	





SENATOR. 33 Piece Home QUALITY TOOLING Handyman Kit

Supplied in a robust plastic toolbox c/w double latch.

Contents*:

- Tuff-E toolbox.
- 18 piece wood, metal and masonry drill set.
- 8 piece fluted handle screwdriver set.6" diagonal cutting nippers.
- 3m/10ft Locking tape rule.
- 10" Straight jaw high strength
- 6" snipe nose pliers/side cutter blade knife.
- 7" linesman pliers.
- 8 segment 18mm snap-off grip wrench.

*Set contents may vary slightly according to product development and availability.



Number of Pieces	Weight each	Order Code SEN-595	
33		-0500K	

Engineer's Workshop Tool Kit - 47 pieces

- 6 piece 16cm cut 2 assorted needle file set.
- 10x 12 x ½" x 18T all hard hacksaw blades.
 8" (200mm) C/V adjustable spanner.
- 6" (150mm) stainless steel rule with pocket clip.
- Metric and inch feeler gauge, blade length: 60mm.
- 1lb ball pein hammer with hickory shaft.
- 16oz black rubber mallet with wooden shaft.
- 5m/16ft locking tape rule with chrome casing. • 8 segment 18mm heavy duty snap-off blade
- Retractable trimming knife. 12" DIY hacksaw.
- 6" heavy duty snipe nose pliers with side cutter.
- 6" diagonal cutting nipper.7" linesman pliers.
- 10" multiple slip joint plier.10" straight jaw high

strength grip wrench. • 8 piece fluted handle screwdriver set. • 7 piece 6 - 19mm drop forged openended spanner set. • 10" straight blade tinsnip. • 21" 5 tray cantilever toolbox.

Set contents may vary slightly according to

product development and availability.	



Number of Pieces	Weight each	Order Code SEN-595	
47	6.4kg	-0700K	_

KENNEDY 102 Piece Service Engineer's PROFESSIONAL Tool Kit

Contents

- Hi-impact mobile tool case.
- 6 Piece 16cm cut 2 needle file set.
- 150mm chrome finish adjustable wrench.
- 150mm mains tester range 125/250V.
- 19mm x 33m insulation tape: black, red and green/yellow pvc. • Soldering iron 25W 240V.
- Cable stripping knife. Desoldering gun. • 17g 1.0mm diameter 60/40 cored solder.
- Square head centre punch 3.2mm x 100mm.
- 150mm/6" flexible rustless rule. Precision tweezers: 115mm sharp nose, 120mm flat blade. • Eye loupe. • 30mm dia. telescopic
- inspection mirror (handle expands to 480mm). • 225g (1/2lb) ball pein hammer. • 7.5m/25 steel tape. • 13 segment blade mini autolock retractable knife. • Junior hacksaw frame c/w hardened blade. • 10 Junior hacksaw blades for metal. • 215mm plastic handle scissors.
- Magnetic pick up tool. 160mm snipe nose plier. • 160mm diagonal cutting nipper.
- 160mm combination plier with side cutter.
- 150mm insulation and wire stripping plier.
- 115mm precision flat nose pliers. • 115mm precision long nose pliers.
- 115mm precision nippers.
- 115mm precision end cutting nippers.
- Pro-Torq grip screwdrivers with chrome vanadium blade: slotted 100mm x 6mm; crosspoint 76mm x No.0 and No.1, 6mm x No.2; supadriv 76mm x No.0 and 1, 100mm x No.2; electricians: parallel 150 and 200 x 5mm. • Offset screwdrivers: 5mm x No.1 and 6mm x No. 2. •1000V VDU insulated screwdrivers: parallel 4 x 100mm; slotted 5.5 x 125mm. • Torx screwdrivers: T6, T8 and T10.

- 11 piece screwdriver and tool set: parallel 1, 1.2, 1.4, 1.8, 2.4 and 3mm; crosspoint PHO-2, PHO and PH1, fine point awl and tweezers.
- 7 piece electronic screwdriver set: parallel 1.4, 2, 2.4 and 3mm; crosspoint PHO-3, PHO-2 and PHO.
- 6 piece chrome vanadium steel 0 - 11 BA open ended spanner set.
- 20mm diameter sash tool. •9 piece hex key set 1.5 - 10mm. • Chrome vanadium combination spanners: 5.5, 6, 7, 8, 9 and 10mm.

Set contents may vary slightly according to product development and availability.





Number Weight Order Code KEN-595 of Pieces each 102 13.0kg -3020K

56 Piece Standard Service Tool Kit

Suitable for use by service engineers, electricians and tradesmen. All Kennedy industrial quality tools carry a quality guarantee.

Contents:

- 430 x 340 x 160mm abs plastic, aluminium reinforced, tool case.
- 150mm chrome adjustable wrench.
- 19mm x 33m black pvc insulation tape.
- 150mm mains tester range 125/250V.
- Soldering iron 25W/240V.
- Desoldering gun.
- 17g 1.0mm diameter 60/40 cored solder.
- 115mm sharp nose precision tweezers.
- 30mm diameter inspection mirror
- (handle extends up to 480mm).
- 7.5m/25ft steel tape.
- 13 segment-blade mini autolock retract knife.
- Junior hacksaw frame and blade.
- · Magnetic pick up tool (extends to 550mm).
- 160mm snipe nose plier.
- 160mm diagonal cutting nipper.
- 160mm engineer's combination plier with side cutter.
- 150mm insulation and wire stripping plier.
- 115mm precision nippers.

- 115mm precision end cutting nippers.
- Chrome vanadium blade screwdrivers: crosspoint No.0, 1 and 2pt; slotted 6mm; supadriv No.0, 1 and 2pt.
- Offset screwdrivers: 5mm slot x No.1pt, 6mm slot x No.2pt.
- Insulated screwdrivers: parallel 4 x 100mm 1000V VDU, slotted 2.5 x 85mm.
- 20mm sash tool.
- 11 piece screwdriver and tool set:
- parallel 1, 1.2, 1.4, 1.8, 2.4 and 3mm;
- crosspoint PHO-2, PHO and PH1:
- fine point awl and tweezers.
- 9 piece hex key set 1.5 - 10mm.
- Chrome vanadium combination spanners: 5.5, 6, 7, 8, 9 and 10mm.

Set contents may vary slightly according to product development and availability.



Number Weight of Pieces **KEN-595** -3000K 6.8kg

122 Piece 'Deluxe' Service Engineers Tool Kit

This superb kit contains all the neccessary tools for the Service Engineer in a Sturdy Aluminium Case partitioned to keep tools organised and readily accessible.



Contents

- Aluminium tool case.
- 6 piece 16cm needle file set.
- 150mm adjustable wrench.
- Digital multimeter.
- 25/250V mains tester.
- 19mm x 33m insulation tape: black, red and green/yellow pvc.
- 25W soldering iron.
- Cable stripping knife.
- Desoldering gun.
- 60/40 cored solder.
- Butane soldering torch. Centre punch 2.4mm x 3.2mm.
- 2x parallel pin punches. 150mm/6" flexible rustless rule.
- Machinists scriber.
- Sharp nose tweezers.
- Flat blade tweezers.
- Eye loupe.
- Telescopic inspection mirror.
- Magnetic pick up tool (extends to 550mm).
- 225g (1/2lb) ball pein hammer.
- $3\frac{1}{5}$ oz cross pein hammer.
- Scissors.
- 7.5m/25ft steel tape.
- Retractable knife.
- Auto return utility knife.
- Junior hacksaw and blade.
- 10 junior hacksaw blades.
- 150mm flat nose plier.
- 150mm insulation and wire stripping plier.
- 150mm wire crimper/stripper.
- 160mm snipe nose plier.
- 160mm dagonal cutting nipper.
- 160mm combination plier.

- 4 piece circlip plier set.
- 177mm locking plier.
- 115mm precision flat nose plier.
- 115mm precision long nose plier.
- 115mm precision nippers.
- 115mm precision end cutting pliers.
- 165mm soft touch pliers.
- Pro-Torq grip screwdrivers with chrome vanadium blade: slotted 100mm x 6mm; crosspoint 76mm x No.0 and No.1, 6mm x No.2; supadriv 76mm x No.0 and 1, 4" x No.2; electricians: parallel 150 and 200 x 5mm.
- Offset screwdrivers: 5mm x No.1, 6mm x No. 2.
- Insulated screwdrivers: parallel 4 x 100mm, 1000V VDU, slotted 5.5 x 125mm. Torx screwdrivers: T6, T8 and T10.
- Aluminium pocket torch.
- 11 piece screwdriver and tool set.
- 7 piece electronic screwdriver set.
- 6 piece 0 11 BA open ended spanner set.
- 9 piece 5.5 13mm combination spanner set.
- Multi-purpose snips.
- 7 piece metric hexagon key set.
- Multi-purpose oil.
- 20mm sash tool.
- 100 cable ties.

Set contents may vary slightly according to product development and availability.

Number of Pieces	Weight each	Order Code KEN-595
122	1.4 Oka	-3040K

KENNEDY Electricians VDE Tool Bag & Quality INDUSTRIAL TOOLING Kit -16 Piece

Heavy-duty tear resistant tool bag with velcro fastening flap. Double webbed shoulder strap fixed with metal release clasps. Two removable tool boards inside which have a unique tool storage securing system built in. All tools are VDE approved.

Contents:

Electrician's tool bag (320 x 340 x 125mm). 150mm euro tester will detect flive' electricity supply. Suitable for AC to 125 -250 volts. 3mm wide tip. Conform to VDE 0630 Part 4. 145mm (5³/₄") Pro-Torq grip diagonal nipper 1000V insulated. 160mm (6³/₈") Pro-Torq snipe nose plier 1000V insulated.

165mm (6½") Pro-Torq engineer's combination plier 1000V insulated.170mm (63/4")

Pro-Torq wire stripper 1000V insulated. 7-pce VDE dual grip screwdriver set: No.0 x 60, No.1 x 80

No.2 x 100mm, 2.5 x 75, 4.0 x 100, 5.5 x 125 and 6.5 x 150mm. 180mm (7") insulated cable knife, curved blade. 2x small parts

storage boxes.



Width	Depth	Height	Weight each	Order Code
(mm)	(mm)	(mm)		KEN-595
320	125	340		-3400K

'Live Line' VDE Tool Kit - 17 Piece

Contents:

Tear resistant tool roll (600 x 300mm). 190mm euro tester - will detect live'electricity supply. Suitable for AC to 125-250 volts. 3mm wide tip. Conform to VDE 0630 Part 4. 145mm (61/4")

Pro-Torq grip diagonal nipper 1000V insulated. 160mm (63/8" wire stripper, engineer's combination plier and snipe nose plier 1000V insulated. 240mm (9½") Water pump box joint pliers 1000V insulated. 200mm adjustable wrench

1000V insulated. 7-pce insulated VDE screwdriver set: Contents: Parallel: 2.5 x 85mm. 4.0 x 100mm. 5.5 x 125mm, 6.5 x 150mm. Crosspoint: No. 0 x 75mm, No. 1 x 100mm, No. 2 x 200mm. 180mm (7") insulated cable knife curved

blade. 210mm (81/4")

Cable cutter.



Both Rolls have a riveted carry handle on the outside.

Width	Depth	Height	Weight	Order Code	
(mm)	(mm)	(mm)	each	KEN-595	
320	125	340		-3420K	

KENNEDY 1000V Dual Grip PROFESSIONAL Screwdriver & Plier Set

10 Piece Set

Fully insulated professional high grip dual material handles that are VDE tested up to 1000V. Screwdrivers have magnetic tips, chrome vanadium steel blades and a hanging hole in handle. Pliers have chrome vanadium steel double polished head and joint heads and are suitable for production line environments.

Contents: Screwdrivers: Crosspoint No.0 x 60mm, No.1 x 80mm, No.2 x 100mm. Parallel 2.5 x 75mm, 4.0 x 100mm, 5.5 x 125mm, 6.5 x 150mm.

Pliers:

63/8" Pro-Torq snipe nose pliers, 61/4" Pro-Torq grip nipper pliers,

6½" Pro-Torq engineering combination pliers.

Number Weight **KEN-595** -1600K



Pro-Torq Maintenance Tool Bag & Kit - 29 Piece

Contents:

Electrician's tool bag (320 x 340 x 125mm). 2x small bits organiser cases, 1 tool board unique system to secure tools whilst in transit. 140mm (51/2") autoload and lock knife - 13 segment snap-off blade. 165mm (6½") Pro-Torq diagonal nippers. 150mm (6") Pro-Torq snipe nose pliers with side cutter. 150mm (6") Pro-Torq combination pliers. 6-pce Pro-Torg screwdriver set:

Crosspoint: No.1 x 75, No.2 x 100. Flared: 6.3 x 100, 8.0 x 200. Parallel: 5.0 x 75, 5.0 x 150mm.

7-pce Pro-Torq precision screwdriver set:

Parallel tips: 1.4, 2.0, 2.4 and 3.0mm. Crosspoint tips: PHO-3, PHO-2 and PH-0. 200mm (8") soft grip phosphate adjustable wrench.

on clip 1.5 -8.0mm.



Width (mm)	Depth (mm)	Height (mm)	Weight each	Order Code KEN-595
320	125	340		-3440K

Pro-Torq Maintenance Tool Roll Kit - 45 Piece

Contents:

Tear resistant tool roll (600 x 300mm). 140mm auto load and lock knife - 13 segment snap-off blade. Telescopic magnetic pick-up tool extends to 550mm (22"). 150mm (6") Pro-Torq snipe nose pliers with side cutter. 165mm (6½") Pro-Torq diagonal nippers. 6-pce Pro-Torq screwdriver set: Crosspoint: No.1 x 75, No.2 x 100. Flared: 6.3 x 100, 8.0 x 200.

Parallel: 5.0 x 75, 5.0 x 150mm. 14 piece chrome vanadium combination spanner set 6-19mm. 3-pce offset screwdriver set: No.1 Crosspoint x 3/16"

Parallel, No.2 Crosspoint x 1/4" Parallel & No.3 Crosspoint x 5/16" Parallel. 7-pce Pro-Torq precision screwdriver set: Parallel tips: 1.4, 2.0, 2.4 and 3.0mm. Crosspoint tips: PHO-3, PHO-2 PH-0.

200mm (8") soft grip phosphate adjustable wrench. 8-pce Pro-Torq hex wrench set on clip 1.5-8.0mm.



Width	Height	Weight	Order Code
(mm)	(mm)	each	KEN-595
330	600		-3460K

7 Piece Maintenance Tool Kit

MTK7

For everyday use. Supplied in PVC tool roll. Contents:

- Chrome adjustable wrench.
- Slotted electricians VDE screwdriver.
- · Slip joint pliers.
- High tensile diagonal cutting nippers.
- Universal combination pliers.
- No.2 Crosspoint engineer's screwdriver.
- Flared slotted engineer's screwdriver.



		The second
Number of Pieces	Weight each	Order Code KEN-595
7	1.3kg	-0070K

Quick to set up, this fold-away cycle work stand has telescopic height adjustment, and plastic jaw clamps to securely grip the frame or seat post.

Specifications:

Construction: light alloy and tough ABS pastic. Rubber feet.

Dimensions: closed: 23 x 22 x 102cm, open: 70 x 100 x 164cm.



Cycle Work Stand Cycle Repair Kit 15 Piece

Description

This comprehensive kit is ideal for cycle repairs at home, comes in its own wallet and measures 90 x 200 x 40mm. Large than the multi tools but still small enough to carry in a ruck sack or pannier for those touring holidays.

SEN-595

-4480K

2 x 'Y' box wrenches - 8, 9, 10mm and 12, 13, 14mm. 150mm (6") adjustable wrench 20mm max. opening.

Hook spanner with 15 and 16mm open ended cone wrench. Screwdriver handle with:

Crosspoint - No.1 and No.2.

Slotted bits - 4 and 6mm.

3x hex key wrenches - 4, 5, 6 and 8mm hex adaptor.

1x forged steel 'O' spoke adjuster - 10, 11, 12, 13,

14 and 15G.E.

3x tyre levers





Order Code SEN-595 Description -4460K 15 Piece Cycle Repair Kit



Cycle Multi Tools

CMT091 - One of the smallest multi tools on the market. Comfortable in the hand, or in the pocket. It has chrome vanadium steel blades and a matt coated frame.

Includes:

Hex keys, 2,2.5,3,4,5 and 6mm. Torx key T25.

No.1 crosspoint bit. 5mm slotted bit.

in

Order Code SEN-595 Description CMT091 - 9 in 1 Multi Tool -4420K

CMT161 - Another very compact multi tool from SENATOR CYCLONÉ range with 16 useful chrome vanadium blades and chain rivet extractor.

Includes: Hex keys, 2,2.5,3,4,5,6mm.

Adaptor for 8mm hex key.

1x 10mm spanner.

1.2mm and No.1 crosspoint bits.

1.2mm and 5mm slotted bits.

1x tyre lever.

2x spoke wrenches - 14 and 15G.E.

1x chain rivet extractor. Description

SEN-595

CMT161 - 16 in 1 Multi Tool

-4400K

CMT221 - A superb multi tool for almost every cycling emergency. Robust construction with chrome vanadium steel blades mounted in two attractive plastic and cast steel frames held together with a magnet. Complete with its



Integral cast steel chain rivet extractor with patented hands free folding chain retainer and pin compartment.

Hex keys - 2, 2.5, 3, 4, 5, 6 and 8mm. Ring spanners - 8, 9, 10, 13, 14, and 15mm. Spoke wrenches - 3.22, 3.33, 3.45,

and 3.96mm. No.2 crosspoint bit. T25 torx bit and

storage pouch.

Order Code SEN-595 Description CMT221 - 22 in 1 Multi Tool -4440K

SENATOR Carpenters QUALITY TOOLING Chisel Set

Made from quality materials and complete with its own canvas storage wallet.

Bevel edged chrome vanadium blades, hardened, tempered, ground and polished.Comfortable bi-material handles with impact resistant end caps.



Set Contents:

6mm ($\frac{1}{4}$ "), 13mm ($\frac{1}{2}$ "), 19mm ($\frac{3}{4}$ ") and 25mm (1") chisels.

No of	Order Code
Pieces	SEN-597
Δ	-2970K



NEDY Bevel Edge Under Height Strike British Strike

Designed to give a life-time of high performance. Chrome vanadium alloy blades, hardened, tempered, ground and polished. 'CAB' (Cellulose Acetate Butyrate handles).

Craftsman: Hammer-blow resistant handles. For craftsmen and joiners.





Blade mm	Width Inch	Weight per 12	Order Code KEN-597
6	1/4"	1.90kg	-2800K
10	3/8"	2.20kg	-2820K
13	1/2"	2.35kg	-2840K
16	5/8"	2.50kg	-2860K
19	3/4"	2.60kg	-2880K
25	1"	3.00kg	-2900K
38	1 ¹ /2"	3.85kg	-2940K


Set			
No. of Pieces	Contents	Weight each	Order Code KEN-597
4	6, 13, 19, & 25mm	880g	-2980K

KEMMED)

Professional

'Classic' pattern. For professional carpenters.

Width Blade



No. of	Contents	Weight	Order Code
Pieces		each	KEN-597
4	6, 13, 19,	800g	-2970K





Wood Carving Tool Set

Contents: four straight gouges, two square chisels, two skew chisels, two V-parting tools, one veiner and one spoon bit. Alloy

steel blades. All supplied in a quality wooden presentation case. Blade length: 110mm, handle length: 95mm.



Number	Weight	Order Code
of pieces	each	SEN-597
12	1.30kg	-3960K

Wood Turning Tool Set

Contents: three straight gouges, two skew chisels, one V-parting tool, one round nose and one diamond point. HSS blades in a quality wooden presentation case. Blade length: 125mm, handle length: 250mm.



	Order Code SEN-597	
 2.25kg	-3940K	

KENNEDY Beechwood

Traditional carpenter's pattern. Weight: 520g.



Head Size		Order Code KEN-597	
114mm (4 ¹ / ₂ ")	520g	-6450K	

SPEED





Packs flat for easy storage

Chuck Capacity	Overall Length		Order Code KEN-597	
13mm	330mm	1.10kg	-0640K	


Hand Drill

Double pinion drill with die cast body and three jaw keyless chuck. Plastic handle with plastic grips and screw top, for bit storage. Used for small drilling operations.










13mm chuck capacity

Extra Grip

Tacklifter








Length	Weight each	Order Code KEN-597
195mm	100g	-7150K


Bradawl





38 x 3mm

Beechwood Handled Gimlet





Length x	Weight	Order Code
Diameter	each	KEN-597
65 x 3mm	45g	-7280K

-7230K

Page **551**

KENNEDY Marking & QUALITY INDUSTRIAL TOOLING MORTICE Gauges

Beechwood Marking Gauge

For marking wood and laminate parallel to edge, prior to cutting, sawing or chiselling. With plastic



 Type
 per 12
 KEN-597

 Marking
 1.7kg
 -6600K

Weight

Gauge

Rosewood Mortice Gauge

Manufactured from rosewood. Craftsman quality with pull slide, brass adjustment



-6650K


Sliding Bevels



Head Size	Weight Per 12	Order Code KEN-597
190mm (7 ^{1/} ₂ ")	1.95kg	-6750K
230mm (9")	2.20kg	-6790K

Try Squares

Used for marking out right angles and testing squareness. Rosewood stock with brass face for greater wear resistance. Blades are manufactured from hardened steel, and secured by steel washers with brass rivets. Solid rosewood stock with solid brass facing securely fixed to the stock provides a hard wearing contact edge.



Head	Weight	Order Code
Size	Per 12	KEN-597
150mm (6")	2.90kg	-6860K
230mm (9")	3.80kg	-6890K

Rafter's Square

Manufactured from hardened and tempered ground steel. Graduated to 2mm on one side and $^1/_8$ " and $^1/_{16}$ " increments on the other. In hands of a skilled carpenter the simple rafter's square becomes an indispensable calculating device of immense capacity. Enabling the carpenter to easily determine the length of any common, hip, valley or jack rafter for any pitch of roof. To make the proper cuts, top and bottom as well as slide or cheek cuts for any rafter.



 Body Length
 Tongue (mm)
 Weight (per 12)
 Order Code (KEN-597)

 610mm
 406
 11.1kg
 -6950K

Heavy Duty Chalk Lines

Aluminium Alloy Case

With foldaway locking handle. Heavy duty robust design, complete with universal hook.





Line Length	Weight per 12	Order Code KEN-597
30 Metres	2.90kg	-7300K

Die Cast Zinc Alloy Case
With a red satin finish. Complete
with folding locking handle.
Felt gasket distributes
uniform chalk
coating onto line.
With sliding
hatch for filling.
Universal hook
attaches to any
projection
or slot.

Chalk not
included

Line	Weight	Order Code
Length	per 6	KEN-597
30 Metres	2.30kg	-7320K

Chalk Line Refills - Large

Suitable for all chalk lines. Good colour fastness and weather resistance. Supplied in squeezable bottle.

Available in three colours:

Red for exterior use externally and internally.

White for interior use such as fiving a dado rail



Colour	Weight each	Order Code KEN-597	
Blue	135g	-7330K	
Red	135g	-7340K	
White	135g	-7350K	
Blue	250g	-7370K	
Red	250g	-7380K	
White	250g	-7390K	

Mortice

KENNEDY Angle Finder - QUALITY INDUSTRIAL TOOLING Magnetic Base

Can be used independently as a 'quick check' tool or to convert a rule or square into a precision angle finder. High strength built-in ceramic magnet with vee groove for use on bars and pipes. Accuracy ± 0.5%.

For the most accurate readings it is recommended that the angle finder is attached to a steel rule or square by means of the





High strength built-in ceramic magnet with vee groove for use on bars and pipes.




Dial Reading	Weight each	Order Code KEN-597	
0-90° (Any Quadrant)	45g	-7500K	

Combination Squares

Multi-functional. Can be used as try square, mitre square, depth gauge, spirit level, marking gauge, height gauge and rule. Supplied with scribing tool. Diecast aluminium alloy head with the 6" rule and diecast zinc alloy head with the 12" rule. Precision rolled blades.

WOODWORKING TOOLS





Blade	Weight	Order Code	
Length	Per 5	KEN-597	
150mm/6"	2.80kg	-7060K	
300mm/12"	2.80kg	-7120K	
Spare Lock Nut & M	landrel for 12"	-7132K	
Spare Scriber for 6' Spare Scriber for 12		-7134K -7136K	

Beechwood Folding Rules Class III

Manufactured from Beechwood for strength and flexibility and painted bright yellow. Metric and inch graduations, large, clear and deep for increased tool life and easy reading. Sizes available: 1m x 5 folds: 2m x 10 folds Graduations: Metric - mm & cm (cm figures in red)

Inch - ¹/₁₆", ¹/₈", ¹/₄", ¹/₂", **1**' Accuracy: Class III

-3980K	CLASS III ACCURACY

 $(\mathbf{E} \ \mathbf{E} \ \mathbf{C})$

Hand



SENATOR Aluminium Cutting & QUALITY TOOLING Measuring Edge

Lightweight hardened and anodised aluminium with central handle. Marked with mm, cm, inches and 1/8" with useful conversions.



Length	Width	Weight each	Order Code SEN-597	
1000mm	58mm	0.80kg	-7040K	



Using Your Plane

- Always hold the plane firmly to ensure optimum balance and control. Ensure the workpiece is secure and stand behind the plane - never pull a plane towards your body.
- When planing end-grain, plywood, blockboard or difficult/curly grain, the direction of the cut is extremely important. A 'slice' action is advised or splitting may occur. This is achieved this by holding the plane at an angle as shown.
- Splitting can generally be prevented in several ways:
- 1) By planing towards the center of the workpiece
- Bevel the corner of the workpiece before planing
- Clamp scrap wood level with the edge of the surface being planed and plane it straight across.







Maintaining Your Plane

- A plane is a precision tool, therefore it should always be treated with care. Always store the plane on its side this will avoid unnecessary damage to the blade.
- Always sharpen the blade before use. This will make it easier, and safer to use and produce a superior surface finish.
- Before sharpening the blade take the blade out of the plane and remove the cap iron. Always lay the blade cap iron flat on a firm surface before taking out the screw.
- Sharpen your blade using an oilstone. Best results are achieved by using a honing guide - this will give the ideal angle at the cutting edge of the blade.

- Use machine oil to keep the surface of the stone wet but remove excess before use.
 This is to prevent dust and metal particals from clogging the stone.
- Remove any burrs by laying the front of the blade flat on the oilstone and work it in a "figure-eight" motion.
- Painted surfaces should be sanded or stripped back before planing in order to avoid clogging of the blade and damage to the timber.
- Never plane over nails, this will damage the blade.
- Always wipe the blade with a cloth before replacing it.
- Candle wax applied to the sole of the plane may reduce friction, especially on freshly cut timber.

SENATOR. No. 200 Block QUALITY TOOLING Plane

Suitable for any single handed operation in particular for end-grain work. The low angle plane cutter ensures minimal vibration giving an excellent finish on many man made materials such as plastic



Model Number	Length (mm)	Iron Width	Weight each	Order Code SEN-597	
200	178	41mm	0.80kg	-0990K	

No. 4 Smoothing Plane

Used for general purpose smoothing and final finishing. Featuring a robust level cap designed to lock down on three points for secure location of the cutting iron. High performance carbon steel blade. hardened and tampered to retain a keen cutting edge to cut even the hardest of woods. Impact resistant ABS resin handle and knob are extremely robust and contoured to fit comfortably in the hand, for maximum



control and reduced user fatigue. Suitable for single and two

Model	Length	Iron	Weight	Order Code SEN-597
Number	(mm)	Width	each	
4	247	51mm	1.93kg	-0940K

No. 5 Jack Plane

Fully adjustable metal plane for stock removal and truing up long edges or levelling wide boards. Kidney shaped lever cap screw hole prevents accidental slippage of cutter. High performance carbon steel blade. hardened and tampered to retain a keen cutting edge. Fully adjustable frog for all tasks and timber types. Virtually unbreakable polypropylene handle and knob shaped for comfort. Finger tip adjustment for depth of cut and cutter alignment. Tight fitting spring steel cap iron for optimum shaving flow. Cast fine grey iron base for stability and wear resistance. Precision ground base and sides ensure



Model Length Iron Weight Order Code Number (mm) Width each SEN-597

5 355 51mm 3.2kg -0920K

KENNEDY Surface QUALITY INDUSTRIAL TOOLING FORMING TOOLS

With tough enamelled alloy bodies and high carbon heat treated steel blades.

Flat File - Straight Handle

For straight filing with flat blade as standard. Plastic handle.

Blade length: 255mm. Blade width: 40mm. Overall length: 395mm.



Plane For conventional plane type filing. With flat blade as standard. Black plastic handle. Blade length: 255mm. Blade width: 40mm. Overall length: 285mm.

Block Plane

and precision filing. Blade length: 140mm. Blade width: 40mm. Overall length: 140mm.



Shaver Tool

With plastic holder. Blade length: 63mm. Blade width: 40mm. Overall length: 185mm.



Round File - Straight

For convex and concave surface shaping. Wooden handle. Blade length: 255mm. Blade width: 16mm. Overall length: 360mm.

and the state of			Marines)		
Tool Style	Blade Length	Blade Width	Overall Length	Weight each	Order Code KEN-597
Flat File	255mm	40mm	395mm	400g	-1010K
Plane	255mm	40mm	285mm	400g	-1070K
Block Plane	140mm	40mm	140mm	130g	-1110K
Shaver Tool	63mm	40mm	185mm	60g	-1150K
Round File	255mm	16mm	360mm	125g	-1240K

Replacement Blades

Pieces

4

То	Blade	Weight	Order Code	
Suit	Type	each	KEN-597	
Flat File or	Flat	40g	-2020K	
Plane	Half-Round	40g	-2040K	
Block Plane	Flat	30g	-2060K	
Shaver Tool	Curved	10g	-2080K	
Round File	Round	40g	-2100K	

4 Piece Surface Forming Set

As above

840g




KEN-597

-1540K

Block Plane

Cabinet Scraper Set

For fine surface finishing of intricate contour surfaces. Used to manually remove small amounts of material and excels in tricky grain areas where hand planes would cause tear out. They will stand up to any heavy duty scraping task with minimum tear out. For best results, these scrapers should be burnished to a razor sharp edge.







Pieces **KEN-597** -7400K

Hardpoint

Hardened and tempered blade. Designed to cut chipboard, blockboard, timber, plywood, hardboard, plasterboard and laminates. Specially hardened teeth to stay sharp longer. Tough handle with fingerline for comfort and accuracy. 8 points per inch.





Timber









Plywood

Blockboard Chipboard

Plasterboard

SITESAFE



Description	Order Code SSF-597
560mm (22") Hardpoint Hand Saw	-4780K

KENNEDY Meteor QUALITY INDUSTRIAL TOOLING Hand Saw

550mm (22") hand saw with a high quality hardened and tempered steel blade with specially hardened teeth. Stays sharp longer. Fitted with a bi-material handle with fingerline for comfort and accuracy. Three ground edges per tooth. Cuts on back stroke.

Designed to cut chipboard, blockboard, timber, plywood, hardboard, plasterboard, PVC and laminates.







8 points per inch (7tpi)




Timber



Plywood







Teeth Weight Per Inch each **KEN-597** 540g -4900K 540g -4920K

Professional Hand Saw

Superior quality skew back. Hardened and ground steel with glazed and polished blade, tensioned and fully sprung. Teeth are set and sharpened. Polished handle with brass screws. Supplied in wallet with tooth guard.

10 points per inch.









Blockboard




Chipboard

Blade Weight per 10 Order Code KEN-597 Length -4700K 560mm (22") 6.7kg

Masonry Saws

Hardened and tempered steel blade with carbide teeth. **Medium Duty**

Suitable for cement based building blocks,











Heavy Duty Suitable for cutting man made building blocks and bricks with 35 tungsten carbide teeth.

Туре	Blade Length	Weight each	Order Code KEN-597	
Med duty (17tpi) Heavy duty (35tpi)	622mm 490mm	1.10kg 1.20kg	-5720K -5740K	
neavy duty (33tpi)	49011111	1.20kg	-5/4UK	



KENNEDY. Hardpoint

Has file sharpened teeth with plain hardened cutting edges.

Impact resistant handle. High quality. 13 points per inch.




Blade	Weight	Order Code	
Length	per 10	KEN-597	
250mm (10")	3.8kg		



Order Code SSF-597 Blade Length 330mm (13") -5620K

Hardpoint Compass Saw

Flexible spring blade. Set and sharpened teeth.



8 points per inch (7tpi)

Blade Length	Weight each	Order Code SSF-597	
300mm		-5340K	

KENNEDY 8" Brass Back Quality INDUSTRIAL TOOLING DOVETAIL SAW Alloy steel blade, tensioned with hardened and ground teeth. Heavy rigid brass back and polished rosewood handle. Securely fastened with two brass screws. 20tpi. Order Code KEN-597 Blade Weight Length each 200mm (8") 500g -5420K

KENNEDY Professional PROFESSIONAL Tenon Saw

Manufactured from hardened and ground steel with glazed and polished blade, tensioned and fully sprung. Highly polished brass back and handle.



Blade Length	Weight per 10	Order Code KEN-597	
250mm (10")	6.0kg	-4600K	

For use in confined spaces.



220
industrial

	Length	Weight each	Order Code KEN-597	
	230mm	140g	-5270K	
-	Spare Coarse B	lade to Suit Above	-5280K	

Plasterboard Saw

Suitable for rapidly cutting holes in plasterboard. Hardened and tempered carbon steel blade with polished rosewood handle and brass ferrule.

7tpi.

Blade Length	Weight each	Order Code KEN-597	
150mm (6")	105g	-5660K	

KENNEDY Flexi Flush QUALITY INDUSTRIAL TOOLING CUTTING SAW

Suitable for precise cutting in confined areas or around obstructions. Flexible alloy steel blade, which cuts on the pull stroke. Polished rosewood handle with brass ferrule. 20tpi.



Blade Length Weight Order Code each KEN-597
155mm (6") 120g -5520K

Mini Gent's Saws

Suitable for light duty precise cutting. Narrow blade width allows use in confined areas. Polished rosewood handle with brass ferrule. Blade width: $40 \text{mm} (1^{1/2})$.



Steel Back Gent's Saws

Suitable for precise flush cutting. Sprung alloy steel blade with rigid steel back, polished rosewood handle and brass ferrule. Blade width: $60mm (2^{1/4})$.



Reversible Gent's Saw

Suitable for flush cutting in the most awkward corners on the left or right hand side. Reversible offset alloy steel blade cranked and polished with rigid back. Rosewood handle with brass ferrule. 15tpi.



 Blade Length
 Weight each
 Order Code KEN-597

 250mm (10")
 305g
 -5400K


Beechwood Sawing Blocks

Mitre box and block pre-cut at 45° and 90° . Bench hook is universal - left and right handed.



Mitre Box

Size Internal (mm)	Order Code KEN-597	
230 x 76	-6090K	



Size Internal (mm)	Order Code KEN-597	
230 x 76	-6190K	

Bench Hook

Manufactured from the finest quality beech wood. Hooks into the edge of the bench allowing theworkpiece to be held firmly against one end whilst cutting or marking out.




Size Internal (mm)	Order Code KEN-597	
230 x 150	-6290K	

Corner Clamp

Ideal for use with wood, angle and tubing. Clamping jaws swivel to accept various widths. Die cast aluminium body with bench mounting.

Overall base dimensions: 158mm x 158mm.
Jaw depth: 36mm.
Slot width: 10mm.




Maximum	Weight	Order Code
Clamping	each	KEN-597
70 x 70mm	1.40kg	-6000K

SENATOR. Sidewinder QUALITY TOOLING Drill

Titanium Nitride (TiN) coated for increased tool life and performance.


performance.
Standard 118° drill
point. 6mm shank
diameter suitable for
use in electric and air
powered drills. The
side cutting teeth
allow the drill to be
used for producing
any size or shape of
hole in wood or
plastic.



	A SECTION A	a farta ta ta t		
Diameter (mm)	Overall Length	Weight each	Order Code SEN-597	
6	90mm	150g	-7500K	
8	97mm	150g	-7550K	

KENNEDY Flat

Forged from high quality tool steel with chip clearance groove and hollow ground point. Centerless ground and true running. Ground spade bit head. For cutting holes in laminates and wood. 6mm hexagon shank to prevent slipping at speed.



Flat Bit Set

Supplied in wallet. **Contents:**

9 ($\frac{3}{8}$ "), 13 ($\frac{1}{2}$ "), 16 ($\frac{5}{8}$ "), 19 ($\frac{3}{4}$ "), 22 ($\frac{7}{8}$ ") and 25mm (1").





Number of pieces	Weight each	Order Code KEN-597	
6	280g	-4300K	

Adjustable Flat Bits

For cutting holes in wood, plastics etc. Cutting diameter can be infinitely varied within range. Graduated scale with locking screw. For use in three jaw chucks. 9.6mm hexagon shank. 170mm overall length.




Cutting	Weight	Order Code	
Range	per 12	KEN-597	
15-45mm 22-76mm		-4400K -4450K	

Auger Bits

American pattern with solid single twist. Spur point and hexagon shank for use with hand and power tools. The overall bit length is 230mm.





Boxed Set

Contents: 1x each 6 (1/4"), 9 (3/8"), 13 (1/2"), 16 (5/8"), 19 (3/4"), 22 (7/8") and 25mm (1").





Number of pieces		Order Code KEN-597
7	860g	-3300K

Adiustable Hole Cutter

For use on metal, wood, plastics, laminates and leather etc. Cutting diameter can be infinitely varied within range. Graduated scale with locking screw. For use in 3 jaw chucks (6.4mm shank).



Maximum cutting thickness: metal 2mm, wood 8mm. Overall length: 95mm. Cutting range: 20 - 76mm.

Weight	Order Code
per 6	KEN-597
950g	-4520K

Trammel Heads

Supplied as a pair. To be used in conjunction with any wood offcut between 3/4" to 11/2 wide, minimum thickness of 3/8". Suitable for scribing arcs and circles.



Overall Length	Weight each	Order Code KEN-597
150mm	490g	-6500K

SENATOR Forstner QUALITY TOOLING Bits

For precision hole boring. Self piloting point combined with trepanning style cutting action will produce overlapping holes in any direction. Ideal for scroll and scalloping applications. Suitable for use in bench and pillar drills to bore a wide range of timber, plastics and other materials. The overall bit length is 90mm.



Diameter (mm)	Weight each	Order Code SEN-597	
10	45g	-5100K	
12	45g	-5120K	
15	60g	-5150K	
16	65g	-5160K	
18	65g	-5180K	
20	70g	-5200K	
22	70g	-5220K	
25	90g	-5250K	

Diamete (mm)	r Weight each	Order Code SEN-597	
26	90g	-5260K	
28	95g	-5280K	
30	105g	-5300K	
35	120g	-5350K	
40	165g	-5400K	
45	180g	-5450K	
50	200g	-5500K	



Boxed Sets

Contents:

5 Piece: 1x each 15, 20, 25, 30 and 35mm.

15 Piece: 1x each 10, 12, 15, 16, 18, 20, 25, 26, 28, 30, 35, 40, 45 and 50mm.

Number of pieces		Order Code SEN-597	
5	0.70g	-5650K	
15	2.30g	-5670K	

KENNEDY Hexagon Key

Manufactured from fully hardened carbon steel in accordance with **DIN 911** ensuring a quality ductile key with precision square cut ends and accurate AF dimensions to ensure full socket contact. Black finish.

PIECES



INCH




Size	Dimens	ions(mm)	Weight	Order Code	
OIZC	а	b	per 100	KEN-601	
1.5	46.0	15.0	0.95kg	-1150K	
2.0	52.0	18.0	1.93kg	-1200K	
2.5	58.0	20.0	3.36kg	-1250K	
3.0	66.0	23.0	5.52kg	-1300K	
4.0	74.0	29.0	11.4kg	-1400K	
6.0	96.0	38.0	33.3kg	-1600K	
7.0	102.0	41.0	48.5kg	-1700K	
8.0	108.0	44.0	67.4kg	-1800K	
10.0	122.0	50.0	119kg	-2100K	
12.0	137.0	57.0	194kg	-2120K	
14.0	154.0	70.0	305kg	-2140K	
17.0	177.0	80.0	517kg	-2170K	
19.0	199.0	89.0	723kg	-2190K	
22.0	222.0	102.0	1092kg	-2220K	

Hexagon Key Walleted Sets

Metric 9 Piece Standard Set Contents:

1.5 x 45, 2 x 50, 2.5 x 56, 3 x 63, 4 x 70, 5 x 79, 6 x 90,



	•	
-	14	١Ч

Number of	Weight	Order Code
Pieces	each	KEN-601
9	300g	-2970K



Inch Standard Length

Weight per 100 Dimensions(mm) **KEN-601** 0.028 0.07kg -0010K 0.035 33 0.08kg -0020K 11 0.050 41 0.11kg -0030K 47 16 0.16kg -0040K 0.21kg 0.32kg 5/64" 52 58 18 20 -0050K 3/32 -0060K 7/64 66 23 0.42kg -0070K 1/8" 23 0.58kg -0080K 66 0.77kg -0090K 29 5/32 74 1.00kg -0100K 1.50kg 2.16kg 3.20kg 3/16 85 33 -0120K 36 -0140K 91 38 96 -0160K 5/16 108 44 4.30kg -0200K 3/8' 122 50 9.20kg -0240K 13.50kg 19.40kg 1/2 145 63 -0320K 9/16 154 69 27.00kg -0360K 176 199 36.00kg 5/8 76 -0400K 62.00kg 3/4" 89 -0480K 7/8" 222 102 92.00kg -0560K 128.00kg -0640K

Inch 10 Piece Standard Set Contents:

 $^{1}\!\!/_{16}$ x 13/4", 5/64" x 17/8", 3/32" x 2", 1/8" x 21/4", 5/32" x 21/2", 3/16" x 23/4", 7/32" x 3", 1/4" x 31/4", 5/16" x 33/4", and 3/8" x 41/4".



Number of Weight Order Code Pieces each **KEN-601** 290g -0970K

Inch 8 Piece Set Contents:

 $\frac{1}{16}$ ", $\frac{5}{64}$ ", $\frac{3}{32}$ ", $\frac{1}{8}$ ", $\frac{5}{32}$ ", $\frac{3}{16}$ ", $\frac{7}{32}$ " and $\frac{1}{4}$ ".




Number of Weight Pieces each **KEN-601** -0980K

KENNEDY Hexagon Key QUALITY INDUSTRIAL TOOLING L-Wrenches - Long Arm

Manufactured from fully hardened carbon steel in accordance with **DIN 911** ensuring a quality ductile key with precision square cut ends and accurate AF dimensions to ensure full socket contact. Black finish.





Metric 9 Piece Long Arm Set Contents:

1.5 x 77, 2 x 83, 2.5 x 90, 3 x 98, 4 x 106, 5 x 118, 6 x 137, 8 x 156, and 10 x 170mm.





Number of Pieces	Weight each	Order Code KEN-601
9	450g	-5970K

Hexagon T-Handle Wrenches

Manufactured from fully hardened carbon steel. Ergonomically designed handle to provide high grip and torque with user comfort.



Size	Overall Length (mm)	Weight each	Order Code KEN-601	
2.0	150	25g	-6030K	
2.5	150	30g	-6050K	
3.0	150	35g	-6060K	
4.0	190	55g	-6080K	
5.0	190	70g	-6100K	
6.0	225	120g	-6120K	
8.0	225	155g	-6160K	
10.0	225	220g	-6200K	





Inch

Size	Overall Length (Inch)	Weight each	Order Code KEN-601	
3/32"	6"	25g	-6560K	
1/8"	6"	30g	-6580K	
5/32"	71/2"	55g	-6600K	
^{3/} 16"	7½"	65g	-6620K	
<u>1/4</u> "	9"	130g	-6660K	
5/16"	9"	160g	-6700K	
3/2"	9"	210g	-6740K	

Metric 5 **Piece Set Contents:** 4, 5, 6, 8 and 10mm.

Metric 8 **Piece Set Contents:** 2, 2.5, 3, 4, 5, 6, 8 and

10mm.	10 #=		METRIC
Number of Pieces	Weight each	Order Code KEN-601	
5 8	685g 765g	-6450K -6470K	



	Size	Dimens	ions(mm)	Weight	Order Code	
	OIZC	а	b	per 100	KEN-601	
	1/16"	77	14	0.21kg	-3040K	
.	5/64"	82	15	0.31kg	-3050K	
	3/32"	88	17	0.44kg	-3060K	
	7/64"	92	18	0.62kg	-3070K	
	1/8"	96	19	0.79kg	-3080K	
	9/64"	101	20	0.81kg	-3090K	
	5/32"	105	21	1.60kg	-3100K	
	^{3/} 16"	114	24	2.20kg	-3120K	
	7/32"	124	26	3.40kg	-3140K	
	1/4"	135	28	4.40kg	-3160K	
	⁵ /16"	151	32	8.00kg	-3200K	
	3/8"	170	35	13.00kg	-3240K	
	1/2"	208	41	28.00kg	-3320K	
	9/16"	228	44	33.00kg	-3360K	
	5/8"	250	48	67.00kg	-3400K	
٠ ا						

Inch 10 Piece Long Arm Set Contents:

 $\frac{1}{16}$ " x 3", $\frac{5}{64}$ " x 3 $\frac{3}{16}$ ", $\frac{3}{32}$ " x 3 $\frac{1}{2}$ ", $\frac{1}{8}$ " x 3 $\frac{3}{4}$ ", $\frac{5}{32}$ " x 4 $\frac{1}{8}$ ", $\frac{3}{16}$ " x 4 $\frac{1}{2}$ ", $\frac{7}{32}$ " x 4 $\frac{7}{8}$ ", $\frac{1}{4}$ " x 5 $\frac{5}{16}$ ", $\frac{5}{16}$ " x 6", and $\frac{3}{8}$ " x 6 $\frac{3}{4}$ ".

INCH



Number of	Weight	Order Code
Pieces	each	KEN-601
10	380g	-3970K

CV Hex Keys

Manufactured from chrome vanadium steel with a nickel plating. Manufactured to ISO2936 (formerly DIN 911L). Set supplied in an indexed plastic holder. Individual hexagon key slots help to instantly identify missing keys.



Size	Overall	Order Code	
(mm)	Length (mm)	KEN-601	
1.5	45	-7520K	
2.0	50	-7540K	
2.5	55	-7560K	
3.0	60	-7580K	
4.0	75	-7600K	
5.0	85	-7620K	
6.0	95	-7640K	
8.0	110	-7660K	
10.0	120	-7680K	
9 piece Set	1 of each above	-7990K	

KENNEDY Pro-Torq Hex PROFESSIONAL Wrench Sets on Clip

Supplied on robust plastic clips. Keeps all sizes together and readily available. Conveniently folds up to a handy pocket size with penknife type storage. Wrench size stamped on clip.



Size	Weight	Order Code
Size	each	KEN-601
5/64" - 1/4"	160g	-1020K
1.5 - 8mm	160g	-3020K

HEXAGON

602 HEXAGON BALL DRIVERS

NNEDY Pro-Torq T-Handled Hexagon FESSIONAL Ball Drivers

Manufactured from hardened carbon steel with a dual material T' handle grip for comfort and extra force.

The ball drivers can be used at angles of up to 30° for use where access is restricted and the shorter hexagon end is ideal for use when a greater tightening torque is required. Long arm end is ball drive and short arm end plain.

Black oxidised finish.





Overall Weight each Order Code Size Length KEN-602 130mm 2.0 -7010K 2.5 140mm -7020K 3.0 -7030K 150mm 4.0 160mm -7040K 5.0 175mm -7050K 6.0 185mm -7060K 8.0 195mm -7080K

-7100K

8 Piece Set Contents:

2, 2.5, 3, 4, 5, 6, 8 and 10mm.

Overall

Length

77mm

77mm

186mm



Description	No. of Pieces		Order Code KEN-602	
Pro-Torq Ball Driver Set	8	750g	-7800K	

Ball Driver KENNEDY DUALITY INDUSTRIAL TOOLING L-Wrenches

205mm

10.0

Manufactured from fully hardened carbon steel in accordance with DIN 911. A quality ductile key with precision cut ends and accurate AF dimensional to ensure maximum socket contact. Ball end allows up to 30° work offset. Long arm end is ball drive and short arm end plain. Black oxidised finish.



Metric Size Overall Weight Order Code per 100 **KEN-602** Length (mm) 1.21kg 1.5 63mm -3030K -3040K -3050K -3060K 2.0 77mm 2.61kg 4.59kg 7.17kg 2.5 3.0 87mm 93mm 4.0 104mm 14.6kg -3080K 5.0 120mm 141mm 26.2kg 44.3kg -3100K -3120K 63.5kg -3140K 147mm 8.0 158mm 89.1kg -3160K -3200K 10.0 180mm 158kg

Inch Size

0.050

^{1/}16"



Metric 7 Piece Set Contents: 1.5, 2, 2.5, 3, 4, 5 and 6mm. Metric 9 Piece Set Contents: 1.5, 2, 2.5, 3, 4, 5, 6, 8 and 10mm.



Number of	Weight	Order Code	
Pieces	each	KEN-602	
7	110g	-4570K	
9	350g	-5500K	

5/<u>64</u> -4050K -4060K 82mm 89mm 0.32kg 0.46kg 3/32 7/64 96mm 0.64kg -4070K $1/_{Q}$ 101mm 105mm 0.86kg 1.10kg -4080K -4090K 9/64 2.10kg 2.30kg 3.40kg 5/32 113mm -4100K 3/₁₆ 7/₃₂ 124mm 134mm -4120K -4140K 1/4" 2.80kg -4160K 150mm 5/₁₆" 3/₈" 8.00kg 162mm -4200K -4240K

Weight

per 100

0.30kg

0.32kg

26.00kg

Order Code

KEN-602

-4030K

-4040K

Inch 7 Piece Set Contents: 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" and 3/16". Inch 9 Piece Set Contents: 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16" and 3/8".



Number of	Weight	Order Code	
Pieces	each	KEN-602	
7	80g	-5580K	
9	370g	-5730K	
	0105	070010	

Manufactured from fully hardened carbon steel. Ergonomically designed handle to provide high grip and torque with user comfort.

METRIC HEXAGON



Metric

	•			
Size	Overall	Weight	Order Code	
(mm)	Length	each	KEN-602	
2.5	150mm	25g	-6050K	
3.0	150mm	30g	-6060K	
4.0	150mm	60g	-6080K	
5.0	190mm	70g	-6100K	
6.0	190mm	120g	-6120K	
8.0	230mm	170g	-6160K	
10.0	230mm	230g	-6200K	

Metric 5 Piece Set Contents:

4, 5, 6, 8 and 10mm.

Metric 7 Piece Set Contents:

2.5, 3, 4, 5, 6, 8 and 10mm.



METRIC



Number of	Weight	Order Code
Pieces	each	KEN-602
5	650g	-7650K
7	1007g	-7770K

Hexagon Ball Driver Hand Clip Sets

Metric 7 Piece Set Contents:

2.5, 3, 4,5, 6, 8 and 10mm.



METRIC



each	Order Code KEN-602
360g	-8070K

(ENNEDY Pro-Torq Hexagon ROFESSIONAL Ball Wrench Clip Set

Conveniently folds up to a handy pocket size with penknife type storage. Moulded handle that gives excellent grip and user comfort. **Sizes: 1.5 - 8mm**.

Dimensions: 40mm (w)

22mm(d) 115mm(h)




	HEXAGON		
Number of Pieces	Weight each	Order Code KEN-602	
8	169g	-8280K	



CV Ball Drivers

Manufactured from chrome vanadium steel with a nickel plating. Manufactured to ISO2936 (formerly DIN 911L). Set supplied in an indexed plastic holder. Individual hexagon key slots help to instantly identify missing drivers.



Inch 7 Piece Set Contents:

3/32", 1/8", 5/32", 3/16", 1/4", 5/16" and 3/8".



INCH HEXAGON

Weight each Number of Order Code KEN-602 **Pieces** 7 465g -8170K

Pro-Torq Hexagon Ball Wrench Clip Set

Conveniently folds up to a handy pocket size with penknife type storage. Moulded handle that gives excellent grip and user comfort. **Sizes:** 5/64" - 1/4".

Dimensions: 40mm (w) 22mm (d) 115mm (h)



INCH	HEXAGON	
Number of Pieces	Weight each	Order Code KEN-602
9	149g	-8390K

Can be used at angles of up to 30° from the screw head, making them ideal for awkward access areas. Manufactured from hardened carbon steel, available with fluted driver handles, L-wrench pattern or T-handle.













				MEIRICI	LIEVAGON
Metric				-	HEXAGON
Size	Blade	Weight	Order Code		
(mm)	Length	Per 10	KEN-602		
1.5	86mm	65g	-1030K		
2.0	89mm	90g	-1040K		
2.5	99mm	120g	-1050K		
3.0	81mm	200g	-1060K		
4.0	97mm	450g	-1080K		
5.0	109mm	710g	-1100K		
6.0	137mm	910g	-1120K		
8.0	163mm	1580g	-1160K		
10.0	185mm	1840g	-1200K		

Inch				
Size	Blade	Weight	Order Code	
(mm)	Length	Per 10	KEN-602	
1/16"	84mm	90g	-2040K	
5/64"	89mm	110g	-2050K	
1/8"	79mm	200g	-2080K	
9/64"	84mm	400g	-2090K	
5/32"	89mm	550g	-2100K	
^{3/} 16"	96mm	1380g	-2120K	
1/4"	119mm	1320g	-2160K	
3/8"	165mm	1530g	-2240K	

Hexagon Ball Driver Sets

Metric 6 Piece Set Contents:

1.5, 2, 2.5, 3, 4 and 5mm.

KENNED 6 PHILIS DRIVER SET

Metric 9 Piece Set Contents:

1.5, 2, 2.5, 3, 4, 5, 6, 8, and 10mm.



Inch 8 Piece Set Contents:


1/16", 5/64", 1/8", 9/64", 5/32", 3/16", 1/4" and 3/8".







Number of Weight Pieces each Order Code KEN-602 170g -2560K







Number of Weight Pieces each Order Code KEN-602 8 480g -2640K

KENNEDY L-Wrench TX Keys


Manufactured from chrome molybdenum steel.



Size	Length (mm)	Weight each	Order Code KEN-603	Size			Order Code KEN-603	
T6	46	20g	-0060K	T25	63	100g	-0250K	
T7	52	20g	-0070K	T27	69	160g	-0270K	
T8	52	30g	-0080K	T30	78	210g	-0300K	
<u>T8</u> T9	54	30g	-0090K	 T40	85	310g	-0400K	
T10	54	40g	-0100K	T45	92	445g	-0450K	
T15	58	55g	-0150K	T50	100	640g	-0500K	
T20	61	75g	-0200K	T55	120	1200g	-0550K	

L-Wrench TXS (Tamper Proof) Keys

TXS Tamper-proof TX keys are the same shape as standard TX keys, but have a security hole in the middle. Manufactured



Size	Length (mm)	Weight each	Order Code KEN-603	
T8	52	30g	-2080K	
Т9	54	30g	-2090K	
T10	54	40g	-2100K	
T15	58	55g	-2150K	
T20	61	75g	-2200K	

Size	Length (mm)	Weight each	Order Code KEN-603
T25	63	100g	-2250K
T27	69	160g	-2270K
T30	78	210g	-2300K
T40	85	310g	-2400K



9 Piece \$ 18, 19, 11 115, 120, 125, 127, 130 and 140. Supplied in a plastic storage clip.	et Contents: O,	NEW	

-0760K

(ô) TXS	4	
No. of Pieces	Weight each	Order Code KEN-603
9	102g	-2680K

9

155g



VENNEDV	Driver	Style
KENNEDY QUALITY INDUSTRIAL TOOLING	TX Ke	ys ´
Screwdriver handle styl	e wrenche	es. Suital

table for all applications but particularly favoured for use when replacing shims and inserts on replaceable tipped carbide tooling. Also favoured by the electronics industry. Made from chrome molybdenum steel. Each driver is marked with size.

