


# Section 8 Contents

Description	Group	Page
Archive Boxes & Accessories	800	604
Briefcases & Luggage	801	604 - 605
Calculators	825	610 - 611
Clipboards	810	606
Clocks	802	606
Computer Accessories	803	606
Data Books	849	617
Fans	828	612
Filing	810	606 - 607
Hole Punches	838	615
Insect Killers	828	612
Key Cabinets & Safes	820	609
Markers - Ink	824	616
Note Books & Pads	827	611
Organisers	801	605
Packaging Tools	834	613
Presentation & Conference Boards	836	614
Seating	811	608
Staplers	838	615
Trimmers	840	615
Waste Bins	843	615
Weighing Scales	844	615
Writing Instruments & Accessories	846	616

# Office Supplies & Stationery

Section 8 Product Groups 804 - 849



### GROUP **800/801** ARCHIVE BOXES/BRIEFCASES & LUGGAGE Archive AVON Boxes

Rigid cardboard box with attached lid to prevent loss/damage. Suitable for storage and transportation of large quantities of documentation. Suitable for stacking. Large contents panel for clear labelling and easy retrieval. Manufactured with carry handles to assist with transportation. Ideal for storage of non-active records.

Size (W x H x D): 430 x 360 x 257mm. Pack of 10.





# SWISS **+** PACKS

### Laptop/Business Bag

SwissPacks<sup>™</sup> laptop/business bag has an attractive and stylish two-tone charcoal and silver-blue finish manufactured from water resistant woven polyester fabric, featuring reinforced carrying handles and clip-on adjustable shoulder strap.

The three main compartments all have mesh, zip and velcro fastening to securely hold laptops and important documents in place whilst in transit.

Large external zipped pockets on the front and rear of the bag for keeping items you need quickly close at hand.

The padded sidewalls and rubber 'bumpproof' edges provide additional protection for items whilst in transit.

The Swisspack laptop/business bag comes complete with a pull out identification card holder, that can be personalised to ensure

your bag can be easily identified at all times.



**External Dimensions** Order Code SWP-593 (mm)450 x 350 x 250 -0070K

### **Business Bag**

Polyurethane leather look business bag which is fully padded for laptop carrying with a rear file section, three large internal compartments, comfortable handle and detachable shoulder strap. Also features an exterior zip organiser.

PACK OF 10



### **Universal Holdall**

A versatile and well constructed holdall that's hardwearing and water resistant. Features include tough webbing side handles and shoulder strap, interior zipped mesh pocket,

pockets at each end, and a front u-shaped pocket with interior zip security



**External Dimensions** (mm) 300 x 520 x 290

Order Code SWP-593 -0060K

### **Backpack/Trolley Case**

A Lightweight 'backpack' carry case that has its own independent trolley system, with inline low friction wheels and an extendable

trolley handle. Fully lined interior with large main compartment that has two elastic pockets and a large zipped mesh pocket. The exterior features a u-shaped front pocket, an identification ticket holder on the rear and small mesh and zip pockets on either side.





**External Dimensions** (mm) 550 x 380 x 220

Order Code SWP-593 -0050K

Page 604

**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR** 



Protect laptops and accessories from damage. Locking aluminium case with padded liner and four positionable side pads. Two elasticated straps secure laptop in position whilst in transit. On the under side of the lid is an A4 document holder with two Velcro fastening pockets and two pen holders. Supplied complete with 40mm wide nylon shoulder strap with pad for improved carrying comfort. Quick release fittings. Non-slip carry handle. Available as keyed or with combination locks.

### **Aluminium Pilot Cases**

The rounded corners with additional corner reinforcing and the two thirds hinged lid with piano hinge makes this one of the most robust cases in the Offis range. Ideally suitable for protecting valuable items whilst in transit. Sponge feel grip for added carrying comfort. Integral A4 document holder, two business card holders, three pen holders and a velcro fastening pocket.

### GROUP BRIEFCASES & LUGGAGE 801

### **Expander** Attache Case

Black PVC classic attache case with brass effect combination locks and an expandable base for extra capacity when needed. Two interior expandable folio sections, two pen loops and business card holders. Internal dimensions (W x D x H): 445 x 320 x 100mm



Size	micornar		
Size	Dimensions	Туре	0FI-802
Notebook	340 x290	Comb.	-0160K
NOLEDOOK	x 65mm	Key	-0170K
Laptop	390 x290	Comb.	-0180K
Laptop	x 65mm	Key	-0190K

### **Organiser & Business Card Holder**

Organiser:

PVC leather look padded organiser. Six internal pockets and press stud fasten. Complete with 20 leaved lined A4 pad. Pen and pen holder. **Business Card Holder:** PVC leather-look padded holder.

Organise, store and view up to 96 cards Size (H x W x D): 200 x 120 x 17mm.



Internal

Dimensions

470 x 290

x 65mm

Lock

Туре

Comb.

Key

Order Code

**OFI-802** 


-0200K

-0210K



Combination Lock

**Key Lock** 





Personal Organiser Business Card Holder -0070K -0100K

Туре	Size W x D x H (mm)	
ed Organiser	290 x 40 x 360	_

Order Code **OFI-804** -0010K

# ringbinder.

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Zippe

Page 605



Size Order Code (W x D x H) **OFI-804** 445 x 320 x 100mm -0080K

### GROUP 802/803/810 CLOCKS/COMPUTER ACCESSORIES/FILING




Traditional 12 hour clock. Analogue display with guartz movement. Requires 1x AA battery, supplied separately - Order Code EDI-904-3020K - pack of 4. 355mm (14"). Chrome finish rim with white clock face, easy to read extra large black digits, divisions and hands, red second hand. Manufactured to CE requirements.



### **Wired Mouse**

Simple efficient mousing. Simple design is comfortable to use. Perfect for left and right handed use. PS/2 plug with additional serial adaptor. No installation needed.



Description	Order Code OFI-803	Туре	Screen Size
PS2 Button Mouse	-0010K	Anti-Glare	14" - 15"
PS2 Scroll Mouse	-0020K	Anti-Glare	16" - 17"

### **Masonite Clipboards**

Masonite clipboards are manufactured from strong brown hardboard with a glazed front to provide a smooth writing surface. Heavy duty clip ensures that papers are held secure. Ideally suitable for stores, warehouse, stocktaking and inspection procedures.

White Wall Clock

Traditional 12 hour clock. Analogue display with quartz movement. Requires 1x AA battery, supplied separately - Order Code EDI- 904-3020K - pack of 4. 25.4cm (10") Silver finish round rim with white clock face, easy to read black digits, divisions and hands. Moulded hanging slot. Manufactured to CE requirements.



### **Screen Filters**

Anti-glare screen filters.

# Order Code



**Radio Controlled Clock** 

alkaline AA battery, offering

100% time keeping accuracy

and automatic summer/

winter time

changes.

White moulded case with silver finish front

dial. Radio controlled movement with 1x

bezel and shatterproof lens. Stylish 12 hour

0//11

### OLENT Air MAINTENANCE Duster

SC4-400A Air Jet Cleans dust, dirt and debris from inaccessible areas. Non-flammable formula. CFC-free. Extension tube for access to confined areas and to direct airflow more accurately. Ideal for use on computers, keyboards, printers, fax machines, cameras, electronics and other delicate equipment.



Product Number	Size	Order Code SOL-732
SC4-400A	400ml	-0160K

Size: 400ml aerosol.

### **PVC Clipboards**

**OFI-803** 

-0050K

-0060K

Keeps paper firmly in place. Rigid PVC covered board with heavy duty clip. Suitable for foolscap and A4 papers. Fold over clipboard has an inside pocket for protecting papers.



A4	FOOLS CAP

		the second se	
Туре	Colour	Order Code OFI-804	
Single	Black	-1720K	
Single	Blue	-1725K	
Single	Red	-1730K	
Foldover	Black	-1740K	
Foldover	Blue	-1745K	
Foldover	Red	-1750K	



**0FI-804** A4 -1710K A3 -1700K

Order Code

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Size

A3



### Foolscap Offis **Suspension Files**

Has clamped steel support bar, smooth gliding hooks and indicator tabs. For easier storage and retrieval of important documentation.



Size	Colour	Pack Quantity	Order Code OFI-804
Foolscap	Green	50	-0130K

### **Lever Arch Files**

Tough board A4 lever arch files. Finger pull for easy retrieval. Large label area enables quick identification. Fitted shoes for protection. Complete with eyelets to assist filing on shelves - files won't fall over. Available in packs of 10.



Size	Pack Quantity	Order Code OFI-804	
A4	1 10	-0150K -0110K	

### Box **Files**

Practical storage for invoices, orders and receipts and other vital documents. A4 or Foolscap document size. Features pull tab & internal spring clip holding mechanism to keep papers secure and in place. With spine label. Pack quantity: 10.






#### Order Code OFI-804 Pack Сс Qty В -0160K 1 10 -0120K

olour	Size	Order Code <b>OFI-810</b>	
lack Red	A4	-0010K -0030K	

A4 top opening. Manufactured from hard-wearing anti-static polypropylene and lightly embossed to reduce glare. Heavy duty reinforced binding edge with conventional 11 hole punch which fits all 2, 3 and 4-ring binders. Ideal for everyday use. Pack quantity: 100.



Size	Pack Quantity	Order Code OFI-804	
 A4	100	-0140K	

# Clip Files

A lightweight A4 document wallet with clear cover and metal slide clip for securing your documents. Ideal for quotes, reports, proposals etc.



Colour

Size

A4/Foolscap



# **811** SEATING Lincoln Leather Faced Managers Chairs

Medium (illustrated) or high back height, leather faced, managers chair. Gas assisted height adjustment and seat base tension control. 3" thick seat and back padding for optimal comfort. 5 star base for stability with covered dual wheel castors on each spur for moving seat location. With shaped arm rests.



NEW

# **High Back Operator Chair**

Fabric covered, medium backed, operators chair. Gas assisted height adjustment and seat base tension control. Back height adjustment. 3" thick seat and back padding for optimal comfort. 5 star base for stability with covered dual wheel castors on each spur for moving seat location. Available in 2 fabric colours. Arm rests available

as an optional extra.



Colour	LNC-811
Charcoal	-0010K -0030K
Royal Blue Fixed Arms	

### Dravghtsmans Chair

Office Supplies & Stationer

Fabric covered, fixed position chair. 5 star base for stability. Height adjustable chrome foot ring (between 200-400mm). Seat height adjustment (590-830mm). Medium back with depth adjustment. Available in charcoal or royal blue fabric colours.

Colour Order Code LNC-811 Charcoal Royal Blue -0120K -0130K

# High Backed Managers Chair

Fabric covered, high backed, managers chair. Gas assisted height adjustment and seat base tension control. 3" thick seat and back padding for optimal comfort. 5 star base for stability with covered dual wheel castors on each spur for moving seat location. With shaped arm rests, available in 2 colours.



ColourOrder Code<br/>LNC-811Charcoal<br/>Royal Blue-0060K<br/>-0080K

### Kick Stools

Metal kick stool fitted with three spring loaded castors for robust maximum mobility. The base ring holds the kick stool rigid to the floor immediately after weight is applied. Heavy-duty construction. 29cm diameter.





ColourOrder Code<br/>LNC-811Black-0190KBlue-0200KGrey-0210KRed-0220K

### High Industrial PU Chair

Moulded plastic, fixed position chair. 5 star base for stability. Height adjustable chrome foot ring (between 200-400mm). Seat height adjustment (590-830mm). Medium back with depth adjustment.



Colour Order Code LNC-811 Black -0140K



PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

### GROUP KEY CABINETS & SAFES 820

#### **Mechanical Keyed** MATLOCK Safes

High security key operated safe withdouble locking bolts. Fine powder coated finish.



Dimensio	ns (mm)	Weight	Order Code	
Internal	External	each	MTL-820	
190 x 290 x 155	200 x 300 x 200	9.5kg	-2010K	
240 x 340 x 205	250 x 350 x 250	11.5kg	-2020K	
Spare Blank Key			-9100K	

### **Home Safes**

Smart exterior safe for use in and around the home. Motorised opening and locking activated by your personal 4 - 6 digit code or emergency key. Double locking bolts. Single-time


moulded case with unique spray coating technique which ensures a rust free case for a minimum of five years. Complete with one fixed shelf.

MANDER

Product	Dimensi	ons (mm)	Weight	Order Code
Number	Internal	External	each	MTL-820
RL23W	195x420x300	229x405x335	16kg	-7020K
RL30W	265x390x250	305x405x335	19.5kg	-7030K

### **Key Cabinets**

All heavy gauge steel construction for secure key storage. Fitted with security lock and supplied complete with two keys. All key hooks are





Dimensions Capacity (mm) 200 x 160 x 80 20 Keys 48 Keys 250 x 180 x 80 300 x 240 x 80 93 Keys

### **Blue Plastic Key Rings**

Manufactured from plastic with a removable address label. Fitted with a metal key ring. Pack of 50.

Order Code MTL-820
-9020K





### **Electronic Safes**

Electronic safe complete with mounting bolts and floor carpet. 1 fixed shelf. 3 - 8 digit locking code. Concealed emergency manual key lock. Double locking bolts. Fine powder coated finish.





Dimens	sions (mm)	Weight	Order Code	
Internal	External	each	MTL-820	
240 x 340 x 195	250 x 350 x 250	13.5kg	-5020K	
250 x 315 x 300	290 x 370 x 245	16.0kg	-5030K	
490 x 340 x 255	500 x 350 x 310	22.0kg	-5050K	

### **Fire Proof Electronic Safe**

All steel construction. Resistant to most hand and mechanical tool attacks. Four digit pin code can be changed. Integral plastic key cover. Audible correct/incorrect PIN number indicator. Offers one hour fire protection at 1000°. Complete with hold down kit for cash and jewellery insurance ratings\*. Low battery indicator light. Internal protection to door hinges. Ideal to store valuable items that

require fire protection. Conforms to: EN50081: 1992 and

EN61000-6-2:2001 Underwriter's Laboratories (UL-72 standard class 103, 103T)

\*Consult your local insurance provider for cash and jewellery ratings.





Product Dimensions (mm) Weight Order Code Number Internal External each MTL-820 -6000K FES249 145 x 330 x 215 250 x 430 x 355 30kg





# **Desktop Calculator**

### DPC 012

Large 12 digit display. Memory function. Percentage key. Solar with battery back-up. Automatic power off. Optional stand. Dimensions (W x H):  $150 \times 160$ mm.

Additional Features: Decimal Place Selector; "Floating", "4,2,1,0 Digits" or "Add 2 (=Divide by 100)"

Rounding Function; "Round-down", "Round-up" or "Round-nearest"

### Large Desktop Calculator DLC 012

DISON

MI

MU

С

3 digit comma marker. Large tilting 12 digit display. Solar with battery back up. Dimensions (W x H): 140 x 190mm. **Additional Features:** Decimal Place Selector; "Floating", "4,2,0 Digits" or "Add 2 (=Divide by 100)" Rounding Function; "Round-down" or "Round-nearest"

DUAL POWER

M+

%


Order Code

EDI-801

-6100K

Model Number

DLC012



CE

DUAL

**POWER** 

### EDISON Financial Calculator

### DFC 012

3 digit comma marker. Large tilting 12 digit display. Dual power solar with battery back up. Automatic power off. Flip down stand. Clock.

Additional Features: Decimal Place Selector; "Floating", "4,2,0 Digits" or "Add 2 (=Divide by 100)"


Rounding Function; "Round-down" or "Round-nearest" Tax (with presetable rate), cost, sell, margin.



# **Offis** Shorthand Pads

The most popular pad size for note taking 128 x 205mm.

Wire spiral bound on top edge for rapid flip action, with rigid backing board. 80 sheets narrow feint ruled on both sides.



Order Code

0FI-827

-0040K

Pages

80

**Pocket Note Book** 

Stiff cover note book with fittedelastic band. 80 leaves, feint ruled. Size:  $83 \times 127$ mm.

DUAL

POWER



Order Code

0FI-827

-0080K

### CALCULATORS/NOTE BOOKS & PADS 825/827 | Financial Calculator with 3 Line Display

# DFC 012

3 digit comma marker. Large tilting 12 digit display. Dual power solar with battery back up. Automatic power off. Flip down stand. **Additional Features:** Decimal Place Selector; "Floating", "4,2,0 Digits" or "Add 2 (=Divide by 100)"

GROUP

Digits" or "Add 2 (=Divide by 100)" Rounding Function; "Round-down" or "Round-nearest" Tax (with presetable rate), cost, sell margin, currency (with presetable rate), HMS (time).



 DLC012
 -5920K

### **Repositional Notes**

Incorporating a special adhesive strip on the reverse enabling them to be stuck down, removed and re-stuck to almost any surface without leaving a mark. Available in a choice of convenient sizes. Invaluable for messages and notes.





12

-0070K

76 x 125 100

PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Size

(mm)

83 x 127

Page 611

**828** FANS/INSECT KILLERS

### **KOBE** Desk & Pedestal Office Fans

### **Desk Fans**

Adjustable head tilt. 90° oscillating control. Two speeds silent running. Fitted with plug in accordance with **BS3456**.

### Pedestal Fan

**Adjustable height:** 110-135mm. Adjustable head tilt. 90° oscillating control. Three speeds silent running. **Blade diameter:** 400mm (16"). 60W power. Fitted with plug in accordance with **BS3456**.



Туре	Size (mm)	Power Input	No. of Speeds	Order Code KBE-828	
Desk	230	30W	2	-0040K	N/A
Desk	300	45W	3	-0030K	N/A
Desk	400	58W	3	-0020K	N/A
Pedestal	400	60W	3	-0010K	N/A

### **Insect Killer 240V**

ffice Supplies & Station

The Kobe™ IKE Series slim line, two tube fly killers can be suspended from the ceiling or wall and as soon as you switch on, they'll start to attract any flies or insects in the area. As soon as they touch the high voltage inner grill they get ZAPPED!

The remains fall into the removable metal collection tray for disposal. Kobe™ IKE electric insect killers are economical and effective in use making them ideal for shops, takeaways, kitchens and other applications requiring effective fly control at a competitive price.

Model: IKE020. Voltage: 220 - 240V. Frequency: 50/50Hz. Power: 20W protects an area up to 120m<sup>2</sup>. Output: DC3500 - 7000V. Tube type: 2x TLD10W.



40W

Colour

White

White

Rated

Power

20W

40W

KOBES

400mm (16")

KOBES

400mm (16") Pedestal

N/A N/A

Order Code KBE-787

-0040K

-0050K

Page U		6	1	2
--------	--	---	---	---

Coverage

120m<sup>2</sup>

130m<sup>2</sup>

Model

Number

**IKE020** 

**IKE040** 

20W



which can cause damage such as: rust, corrosion, tarnish, oxidation, mildew, fungus, mould, spotting and toning.

Pack	Weight	Order Code	
Quantity	each	AVN-780	
100	25g 50g 100g 250g	-0020K -0030K -0040K -0010K	

# **Strapping Kit**



### **Static Stand for Plastic Banding** PSD

Floor standing static dispenser. For use with strapping wound on plastic wheels.

Electro plated steel brake with strap guide. Built-in carrying handle for ease of use.

Strapping supplied separately.



### **Banding Sold Separately**

Description	Order Code PSC-834
Static Stand	-0050K

# **Mobile Mill Wound Coil Holder**

Mobile strapping stand with strap guide. Suitable for mill wound steel strapping. Coil rotates on smooth running, heavy duty roller bearings. Plastic box mounted on handle ensures seals and tools are always at hand.



Mobile Mill

-0100K Wound Holder

# PACKAGING TOOLS 834

GROUP





Page 613

### GROUP **836** PRESENTATION & CONFERENCE - BOARDS

#### **Executive** Notice 15 Boards

The Offis™ Executive dry wipe white board is ideal to use in training seminars, presentations, in the classroom or anywhere else ideas or procedures need communicating to several people at the same time. The extra smooth bright white surface improves erasability,

reduces ghosting and provides a good contrast to anything written or

drawn on it. Finished with an attractive aluminium trim and ABS plastic corners that will compliment any conference or meeting room. Supplied with concealed wall fixings and pen tray.

	Description	Size (mm)	Order Code OFI-836	
	Drywipe Board	900 x 600	-0240K	
	Magnetic	1200 x 900	-0250K	
	Drawing Roard	900 x 600	-0260K	
Drywipe Board -	1200 x 900	-0270K		

### **Cork Notice Boards**

Look great in anodised aluminium or wood frame.

Whether used as an information board or memo board, cork boards are preferable for displaying notices and communications and they free your working area of knick-knacks. When pins are removed holes contract. The boards will last for years despite daily use. In three sizes: 600 x 450 900 x 600 and 1200 x 900mm.



### **Ultimate Magnetic** Whiteboard & **Flipchart Easel**

Adjustable height. Double sided dry-wipe magnetic writing surface. Tilting whiteboard for final presentation amendments. Hinged pen tray. Suitable for A1, two hole drilled pads. One piece legs can also double as foot bar to prevent unwanted movement. Size: 900 x 600mm.

Description

### **A1** Freestanding **'A' Frame**

VEVI

Suitable for indoor/outdoor display of A1 posters. Freestanding frame can be positioned in the most prominent floor position for maximum visibility. Double sided to display to alternate traffic directions simultaneously. Anti-glare PVC poster cover helps to protect against environment and helps maintain maximum visibility.

#### Order Code Description 0FI-836 A1 Freestanding -0190K 'A' Frame



business or personal use. Four fabric colours: blue, green, grey and red. În two sizes: 900 x 600mm and 1200 x 900mm.





Colour	Size	Order Code OFI-836	
Blue		-0050K	
Green	900 x	-0060K	
Grey	600mm	-0070K	
Red		-0080K	
Blue		-0090K	
Green	1200 x	-0100K	
Grey	900mm	-0110K	
Red		-0120K	

# **Executive Felt Covered Notice Boards**

Aluminium framed. executive felt covered notice boards. Available in blue, green, and grey with a satin finish aluminium frame.

C



olour	Size	Order Code OFI-836	
Blue Green Grey	900 x 600mm	-0280K -0290K -0300K	
Blue Treen Grey	1200 x 900mm	-0310K -0320K -0330K	



### Dry Wipe Marker Pack

Bullet point tip. Water resistant, alcohol based, neutral smell, non-toxic, fast drying. Pack includes one each of black, blue, green and red

Order Code

**OFI-836** 

-0180K

	r, blue, gleen and	i ieu.	
Assorted a pack shown.	Office of the second se	DRY WIPE	
	ojji	DRY WIPE -	***
	<b>COTHIN</b>		
-	Charles and the second	BRY WINE	
_	(OTH	1.	
-		DRY WIPE	
Colour	Pack Quantity	Order Code OFI-824	Price/Pk
Black	Quantity	-0010K	
Blue	4	-0010K	
Red	4	-0040K	
Assorted	4	-0050K	

# **Ultra Smooth Dry Wipe Boards**

Ultra smooth to improve eraseability and reduce ghosting. Plain white surface, supplied with wall fixings and pen trav

**Magnetic Whiteboards** Surface guaranteed for five years in normal use. Surface - Ultra smooth white surface can be used with any whiteboard markers and easy to wipe off. - Pen tray included **Non-magnetic Whiteboard** Use with any dry wipe whiteboard markers and easily wiped off by eraser

<i>y</i> ora			
tion	Size	Order Code OFI-836	
netic	900 x 600mm 1200 x 900mm	-0030K -0040K	
tic	900 x 600mm 1200 x 900mm	-0010K -0020K	



PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR

Descript Non-magi Magne



### **Stand-up Staplers**

These attractive staplers are ergonomically designed with a contoured rubber grip for comfortable use. The stand-up feature gives a smaller footprint on the desktop and makes them easy to locate.



### **Paper Hole Punches**

Competitively priced paper hole punches with adjustable paper guides. Robust metal construction. Large handles for extra leverage and reduced effort in use. Waste is retained in base compartment with removable 'confetti tray'. Three different sizes -0020K available: PHP210 punches two holes in up to 10 sheets PHP218 punches two holes in up to 18 sheets PHP418 punches four holes in up to 18 sheets. Model Sheet Order Code Type Capacity Number **0FI-838** 2-Hole PHP210 10 -0010K

### Weighing PRECISION Scales

18

18

-0020K

-0030K

The Oxford range of weighing equipment provides you with a choice of capacity and accuracy to suit the majority of purposes.

### **Suspended Scales** These sturdy scales have a dual reading dial protected by a plastic cover. With a capacity

2-Hole

4-Hole

**PHP218** 

PHP418

of up to 25kg/55lb they are ideal for workshops, schools and offices and have a zero setting of ±15% with accuracy to 1 part in 250. Come complete with top and bottom chrome vanadium hooks.

Model	Maximum	Order Code	
No.	Capacity	OXD-844	
55-25M	25kg	-3500K	N/A

# **OFFICE ACCESSORIES/WEIGHING SCALES** 838/844

# **48ltr Steel Waste Bins**

A durable range of steel waste bins designed for the safe segregation of litter and waste.





**Metal Waste Paper Bin** 

turned over edges.

Weight each: 1.00kg.

With ribbed sides, seamed bottom and

Size: 305 x 292mm (Dia. x Height).

GROUP

Colour	Order Code OFI-843	
Light Grey Black	-0010K -0020K	

### A3 & A4 Trimmers

Colour

Black

Low volume paper trimmers that cut paper and card quickly, accurately and safely. Fitted with a stainless steel rotary blade that is enclosed for safety. Strong metal base and plastic end caps. Capacity to cut five sheets of 80gsm paper.

-0040K

**5** Sheet Capacity

# **Weighing Scales**

Suitable for office, postroom and stores applications, these scales have a clear digital readout with an RS232 interface for data transfer to a PC. Designed to run on mains power via the 12Vdc 650mA AC adaptor provided or the 6V4AH rechargeable battery (included). both units will run for up to 20 hours on a single full charge.

Model WS-6E: Capacity 6kg/12lb. Graduation 0.001kg/0.002lb. Model WS-15E: Capacity 15kg/31lb. Graduation 0.002kg/0.005lb.



Order Code

**OXD-844** 

-2200K

-2220K

N/A

N⁄A

BS-121

120kg

### Cutter Size A4 -0010K -0020K

A3

Order Code **OFI-840** 

A3 Cutter

Item shown:

### **Electronic Bench Scales**

Robust, general purpose, portable digital weighing scales. Ideal for accurate weighing of parcels and packages. Dual reading metric or imperial. Print, kg/lb, tare, hold, net/gross and zero functions. Platform size 30 x 30cm. Large easy to read LCD display which can be either free standing or wall mounted. Battery or mains powered (batteries included). Display cable length 195cm. Auto power off. RS232 interface port. Maximum Model Order Code **OXD-844** No. Capacity BS-061 60kg -5110K N/A

-5130K

<b>PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTO</b>
--

Maximum

Capacity

15kg

6kg

Model

No.

WS-6F

WS-15E

Page 615

N/A



Page 616

### **Engineers Reference Data Charts**

Now with 38 pages of engineering data. Each page coated with an anti-glare matt lamination to protect against the dirt and grease encountered in workshop conditions. Contents

Basic forms of heat treatment

Colour charts for Tempering and for hardening & forging

- Material groups Colour coded machineability chart and hardness listing
- Tensile strength and hardness Shore hardness and equivalent tensile strengths and conversions included.
- Lubricant selection Colour coded materials chart and dilution guidlines
- Hole and shaft tolerances

H7-e8 tolerances for counterbores included. · Metric screw and hole sizes

### Thread Notation

Explains terminology used to define thread characteristics

### Standard thread forms;

Sequenced logically, tapping and clearance sizes integrated into single chart and colour highlighted for quick reference. Includes special metric pitches & NPT, distinctions made between 'Rp' and 'G' series BSP. ISO 529 pitch form diagrams shown. Now also lists tapping and clearance drill sizes for fluteless tap

- Dimensions of common shank types Now includes screwed shank, Weldon, DIN Taper, BT Taper, ISO Taper in addition to Morse
- taper shank details. Standards for engineering drawings Comprehensive listing including contemporary listings and illustrations.
- Abbreviations used in engineering drawings **Common CNC codes**
- Comprehensive listing including contemporary listings
- **Axis Nomenclature for Machine Tools** Newly added page explaining the use of letter addresses to define directional motion
- **Trigonometry formulae** Colour coded CAD produced illustrations for quick reference
- Sines and cosines

Calculated to six decimal places with colour coded axes for quick reference.

### **Engineers Reference Handbook**

- toolroom or workshop



- Tangents and cotangents Calculated to six decimal places with colour coded axes for quick reference.
- **Co-ordinates for equally pitched holes** Clear and easy to read CAD produced diagrams.
- Bending allowances for malleable materials Listed as metric radius and thickness with nearest equivalent SWG given for guidance. Clear and easy to read CAD produced diagrams.
- **Cutting Speed Calculator** Gives required RPM for known cutter diameters and cutting speeds
- Standard drill size conversions; No & letter sizes integrated into a single chart, standard sizes are highlighted in bold text, size range extended from 25.25mm up to 32.50mm. All inch-fractional sizes converted to mm equivalent as well as inch-decimal and Morse taper shank sizes are indicated against drill diameter ranges.



GROUP


DATA BOOKS 849

### Abbreviations and formulaes

- Definitions of standard meanings with specific attention given to turning, milling and drilling Comprehensive list of commonly used abbreviations
- Weight and measure systems, useful conversions and constants

A comprehensive listing of contemporary and old systems, along with the necessary conversion formulae.

Item	Order Code CAT-849	
Data Charts	-0356C	



**PRODUCTS ARE ONLY AVAILABLE VIA YOUR DISTRIBUTOR** 

**Office Supplies** 

20

Stationery